

SINGLE VERTICAL RIFT 24 - hydraulic


Low water content radiator comprising a vertical module made entirely of recyclable aluminium

ORDER EXAMPLE To correctly order this model follow the example specified below:


PRODUCT	RFT_V24SI
RFT_V24S	Single Vertical 24 mm module Rift
I	Hydraulic version
DX	Flap on RIGHT, in other words protruding from the right
180	Overall height
9010	Colour Code to check in the TUBES COLOUR CHART
R.. / M..	Connection code that defines the type of union for copper pipes or multi-layer pipes found herein at page 276

ACCESSORIES


Cod. GVR	One way Remote Valve Assembly, CHROME finish
Cod. GVRCh*	One way Remote Valve Assembly, COLOUR finish*
* Specify the color code, e.g.: 9010, after checking the Tubes Colour Chart	



Connection of radiator to the Remote Valve Assembly (GVR)




Connection to the Remote Valve Assembly (GVR)



SINGLE VERTICAL RIFT 24 - hydraulic

Low water content radiator comprising a vertical module made entirely of recyclable aluminium



Single Vertical LEFT and RIGHT - hydraulic


		H (cm)	L (cm)	Thermal yield Watts ΔT 50°C	Thermal yield Watts ΔT 30°C	Water Content (l)	Category C0 RAL 9010 (€)	Category C1/C2 (€)	Category C3 (1) (€)
RFTV24SI#SX100	RFTV24SI#DX100	100,0	24,0	330	172	0,40			
RFTV24SI#SX120	RFTV24SI#DX120	120,0	24,0	396	207	0,48			
RFTV24SI#SX140	RFTV24SI#DX140	140,0	24,0	462	241	0,56			
RFTV24SI#SX160	RFTV24SI#DX160	160,0	24,0	528	276	0,64			
RFTV24SI#SX180	RFTV24SI#DX180	180,0	24,0	594	310	0,72			
RFTV24SI#SX200	RFTV24SI#DX200	200,0	24,0	660	345	0,80			

For RAL colours not included in the chart +30 % on the price of White C0 - request feasibility in advance.

(1) Colour GRCR Chrome Grey NOT available for the RIFT model

RIFT accessories

Code	Description	Finishes	Price (€)
ZAAPRFT#...	RIFT hood in Plated Brass	Chrome, Gold, Polished Tin and Black Nickel	
ZAPSRFT#...	Towel rail in Plated Brass	Chrome, Gold, Polished Tin and Black Nickel	



REMOTE VALVE ASSEMBLY. Valve and Lockshield assembly for remote connection (GVR), can be installed up to a maximum distance of 6 metres from the radiator.

Connection of Remote Valve Assembly (GVR) to water system

	Code	Description	Finishes	Price (€)
	GVR#	RECESSED valve and lockshield assembly for remote connection	CHROME	
	GVRC#	RECESSED valve and lockshield assembly for remote connection	COLOUR	


For the GVRC code you must specify the colour required. Colours not available: GRCR

ORDER EXAMPLE To correctly order this model follow the example specified below:


PRODUCT	RFT_O24SI
RFT_O24S	Single Horizontal 24 mm module Rift
I	Hydraulic version
SU	Flap pointed UP, in other words protruding from the top
180	Overall width
9010	Colour code to be checked in the Tubes Colour Chart
R.. / M..	Connection code that defines the type of union for copper pipes or multi-layer pipes found herein at page 276

ACCESSORIES


Cod. GVR	One way Remote Valve Assembly, CHROME finish
Cod. GVRc#*	One way Remote Valve Assembly, COLOUR finish*
* Specify the color code, e.g.: 9010, after checking the Tubes Colour Chart	



Connection of radiator to the Remote Valve Assembly (GVR)




Connection to the Remote Valve Assembly (GVR)




SINGLE HORIZONTAL RIFT 24 - hydraulic version


Low water content radiator comprising a vertical module made entirely of recyclable aluminium




L 100,0 cm




L 160,0 cm



L 120,0 cm




L 180,0 cm




L 140,0 cm



L 200,0 cm



RIFT hook code ZAAPRFT#...



RIFT shelf
L 48 cm code ZAMRFT48#...
L 60 cm code ZAMRFT60#...

Single Horizontal Top Flap - hydraulic



Code	L (cm)	H (cm)	Thermal yield Watts ΔT 50°C	Thermal yield Watts ΔT 30°C	Water Content (l)	Category C0 RAL 9010 (€)	Category C1/C2 (€)	Category C3 (1) (€)
RFTO24SI#SU100	100,0	24,0	279	150	0,40			
RFTO24SI#SU120	120,0	24,0	335	181	0,48			
RFTO24SI#SU140	140,0	24,0	391	211	0,56			
RFTO24SI#SU160	160,0	24,0	447	241	0,64			
RFTO24SI#SU180	180,0	24,0	503	271	0,72			
RFTO24SI#SU200	200,0	24,0	559	301	0,80			

For RAL colours not included in the chart +30 % on the price of White C0 - request feasibility in advance.

(1) Colour GRCC Chrome Grey NOT available for the RIFT model

RIFT accessories

Code	Description	Finishes	Price (€)
ZAAPRFT#...	RIFT hood in Plated Brass	Chrome, Gold, Polished Tin and Black Nickel	
ZAMRFT4824#LNN	RIFT 48 cm storage shelf 48x15	Natural Wood	
ZAMRFT4824#LBC	RIFT 48 cm storage shelf 48x15	Matt White painted	
ZAMRFT6024#LNN	RIFT 60 cm storage shelf 60x15	Natural Wood	
ZAMRFT6024#LBC	RIFT 60 cm storage shelf 60x15	Matt White painted	



REMOTE VALVE ASSEMBLY. Valve and Lockshield assembly for remote connection (GVR), can be installed up to a maximum distance of 6 metres from the radiator.

Connection of Remote Valve Assembly (GVR) to water system

Code	Description	Finishes	Price (€)
GVR#	RECESSED valve and lockshield assembly for remote connection	CHROME	
GVR#	RECESSED valve and lockshield assembly for remote connection	COLOUR	

For the GVR code you must specify the colour required. Colours not available: GRCC