

ORDER EXAMPLE

To correctly order this model follow the example specified below:

PRODUCT

BA10#120050

OB1

ST

9010

BA10#120050 OB1 ST 9010

Article code found in the prices table on the side

Connector code found in the table here below

Standard Support code found in the table here below

Finish code found in the Tubes Colour Chart

ACCESSORIES


Z1TLNR#AN R12 9010

Z1RAC#R12CRO

Valve and Lockshield - Copper angle 1/2" for copper pipes or multi-layer pipes - White RAL 9010

12mm diam. copper pipe unions for Valve+Lockshield – chrome finish (2)

For other types of Valves see the table below or those on pages 271 - 272 - 273 - 274 - 275.



CONNECTORS

The towel warmers are supplied with "OB1" connectors.

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors of towel warmers and radiators connected to the same system should all have the same configuration otherwise operating problems could occur.

Standard connectors

Will be supplied if not otherwise specified when placing the order

Rear connector

Supplied on request WITH an additional price charge of €

Custom-made connectors


Supplied on request WITH an additional price charge of €

Connectors on request


Supplied on request WITHOUT an additional price charge

Custom-made connectors


Supplied on request WITH an additional price charge of €



Interaxis (Pipe centre)
I=L-3,4 cm



I=L-3,4 cm
rear connector for connection to GVR



Interaxis (Pipe centre)
I=L+13,8 cm




Interaxis (Pipe centre)
I=H-3,8 cm



Interaxis (Pipe centre)
I=H-3,8 cm



single pipe



Specify "i" and "d"
i min.=5 cm d min.=2 cm



SUPPORTS

The towel warmers are supplied with standard supports (code ST) that include wall fixing shelves, pressure anchors and manual Vent Valve.

On request they can be ordered with bracket supports that are permanently welded on the towel warmers and therefore must be specified when placing the order, their code and cost are as follows:

code MD WALL TYPE bracket support on the Right €

code MS WALL TYPE bracket support on the Left €




code SO CEILING TYPE bracket support €

LIMITS

WALL TYPE bracket support Width max 60.0 cm

CEILING TYPE bracket support Width max 80.0 cm


The Chrome plated version cannot be supplied with bracket supports



ADDITIONAL CHARGES FOR COLOURS AND FINISHES (see the official Tubes Colour Chart)

RAL colours not included in the colour chart + 30% more than Pure white price (cat. C0), for colours according to samples request feasibility and estimate.

PLATED finishes: Nickel Satin finish (NIS code) NOT available, 14kt GOLD finish (cat. G5)+50% and 24kt GOLD (cat. G6)+60% more than Chrome (Cat.G0).




Code	H (cm)	L (cm)	Interaxis (Pipe centre) (cm)	Water Content (l)	Coloured version		Chrome plated version		Chrome plated G0 (€)	Category C0 RAL 9010 (€)	Category C1/C2 (€)	Category C3 (€)
					Watts ΔT 50°C	Watts ΔT 30°C	Watts ΔT 50°C	Watts ΔT 30°C				
BA10#080040	80,5	40,0	36,6	1,51	392	205	288	150				
BA10#080050		50,0	46,6	1,88	506	267	371	195				
BA10#080060		60,0	56,6	2,26	623	332	475	250				
BA10#120040	119,5	40,0	36,6	2,17	588	312	430	223				
BA10#120050		50,0	46,6	2,71	755	406	533	278				
BA10#120060		60,0	56,6	3,25	925	504	636	334				
BA10#150040	149,5	40,0	36,6	2,64	731	382	535	274				
BA10#150050		50,0	46,6	3,30	902	476	661	341				
BA10#150060		60,0	56,6	3,96	1076	573	777	405				
BA10#180040	181,0	40,0	36,6	3,30	881	466	664	343				
BA10#180050		50,0	46,6	4,12	1097	586	804	417				
BA10#180060		60,0	56,6	4,95	1318	712	970	503				




In the CHROME (plated) version the code BA10 becomes BA10G

For correction factors different to ΔT 50°C/ ΔT 30°C see page 284-289

REMOTE VALVE ASSEMBLY

code	Description	Price
 GVR#	Valve and Lockshield assembly for recessed remote connection, CHROME finish	€
GVRC#	Valve and Lockshield assembly for recessed remote connection, COLOUR finish	€

STANDARD VALVES (for Valves and Lockshields, valves that can be fitted with thermostat, Thermostatic valves, or Single pipe, Twin pipe, Stainless steel and thermostatic heads see pages 271, 272, 273, 274 und 275 of the Price List)




code / Description	Price
 Z1TLNR#ANR129010 Paired Valve and Lockshield copper Angle 1/2" WHITE	€
 Z1RAC#R12CRO 2 copper unions diam. 12 mm	CHROME €
 ZRCF# Kit with pipe collars for towel warmers	WHITE €

ORDER EXAMPLE

To correctly order this model follow the example specified below:

PRODUCT	BA10i5#120050 0i5 ST 9010
BA10 i5#120050	Article code found in the prices table here below
0i5	Connection code for 5 cm Interaxis (Pipe centre) (Pipe centre)
ST	Standard Support code found in the table here below
9010	Colour code found in the TUBES COLOUR CHART
ACCESSORIES	
Z1TLNR#AN R12 9010	Valve and Lockshield - Copper angle 1/2" for copper pipes or multi-layer pipes - White RAL 9010
Z1RAC#R12CRO	12mm diam. copper pipe unions for Valve+Lockshield – chrome finish (2)

For other types of Valves see the table below or those on pages 271 - 272 - 273 - 274 - 275.








ADDITIONAL CHARGES FOR COLOURS AND FINISHES (see the official Tubes Colour Chart)

RAL colours not included in the colour chart + 30% more than Pure white price (cat. C0), for colours according to samples request feasibility and estimate.
PLATED finishes: Nickel Satin finish (NIS code) NOT available, 14kt GOLD finish (cat. G5)+50% and 24kt GOLD (cat. G6)+60% more than Chrome (Cat.G0).

Code	H (cm)	L (cm)	Interaxis (Pipe centre) (cm)	Water Content (l)	Coloured version		Chrome plated version		Chrome plated G0 (€)	Category C0 RAL 9010 (€)	Category C1/C2 (€)	Category C3 (€)
					Watts ΔT 50°C	Watts ΔT 30°C	Watts ΔT 50°C	Watts ΔT 30°C				
BA10I5#080040	84,5	40,0	5	1,51	392	205	288	150				
BA10I5#080050	84,5	50,0	5	1,88	506	267	371	195				
BA10I5#080060	84,5	60,0	5	2,26	623	332	475	250				
BA10I5#120040	123,5	40,0	5	2,17	588	312	430	223				
BA10I5#120050	123,5	50,0	5	2,71	755	406	533	278				
BA10I5#120060	123,5	60,0	5	3,25	925	504	636	334				
BA10I5#150040	153,5	40,0	5	2,64	731	382	535	274				
BA10I5#150050	153,5	50,0	5	3,30	902	476	661	341				
BA10I5#150060	153,5	60,0	5	3,96	1076	573	777	405				
BA10I5#180040	185,0	40,0	5	3,30	881	466	664	343				
BA10I5#180050	185,0	50,0	5	4,12	1097	586	804	417				
BA10I5#180060	185,0	60,0	5	4,95	1318	712	970	503				

For correction factors different to ΔT50°C/ΔT30°C see page 284-289

STANDARD VALVES (for Valves and Lockshields, valves that can be fitted with thermostat, Thermostatic valves, or Single pipe, Twin pipe, Stainless steel and thermostatic heads see pages 271, 272, 273, 274 und 275 of the Price List)

code / Description			Price	code / Description			Price
	Z1TLNR#ANR129010	Paired Valve and Lockshield copper Angle 1/2" WHITE	€		Z1TL5NR#ANR12SX...	Valves with 5 cm Interaxis (Pipe centre) 5 cm - Left	9010 € CHROME €
	Z1RAC#R12CRO	2 copper unions diam. 12 mm CHROME	€		Z1TL5NR#ANR12DX...	Valves with 5 cm Interaxis (Pipe centre) 5 cm - Right	9010 € CHROME €
	ZRCF#	Kit with pipe collars for towel warmers WHITE	€				

Color_X BA10E Electric


Towel warmer composed of horizontal fusion welded elements in 10 mm diameter steel with 28 mm diam. manifolds

EL


ORDER EXAMPLE

To correctly order this model follow the example specified below:


PRODUCT	BA10E#080050 U1 ST 9010
BA10E#080050	Article code found in the prices table on the side
U1	Resistance code listed in the next list
ST	Standard Support code, only one support code available for Electric and Mixed version
9010	Colour code found in the TUBES COLOUR CHART




ELECTRIC VERSION WITH EDGE CAP



ELECTRIC VERSION WITH THERMOSTAT



ELECTRIC VERSION WITH WIRELESS THERMOSTAT




Color_X BA10E Electric

Price per radiator with White RAL 9010 finish and standard connectors - VAT and transport charges excluded




ELECTRIC VERSION WITH EDGE CAP



Model	Edge Cap Colour Code			H (cm)	L (cm)	Electric resistor Watts	Price RAL 9010 CategoryC0 (€)	Price Category C1/C2 (€)	Price Category C3 (€)	Price Chrome plated G0 (€)
	White	Grey	Chrome*							
BA10E#080040	U1	V1	Z1*	80,5	40,0	300				
BA10E#080050	U1	V1	Z1*		50,0	300				
BA10E#080060	U2	V2	Z2*		60,0	600				
BA10E#120040	U2	V2	Z2*	119,5	40,0	600				
BA10E#120050	U2	V2	Z2*		50,0	600				
BA10E#120060	U3	V3	Z3*		60,0	900				
BA10E#150040	U2	V2	Z2*	149,5	40,0	600				
BA10E#150050	U3	V3	Z3*		50,0	900				
BA10E#150060	U3	V3	Z3*		60,0	900				
BA10E#180040	U3	V3	Z3*	181,0	40,0	900				
BA10E#180050	U3	V3	Z3*		50,0	900				
BA10E#180060	U4	V4	Z4*		60,0	1200				


* Supplied with price surcharge of € 10.00

ELECTRIC VERSION WITH THERMOSTAT



Model	Code Thermostat				H (cm)	L (cm)	Electric resistor Watts	Price RAL 9010 CategoryC0 (€)	Price Category C1/C2 (€)	Price Category C3 (€)	Price Chrome plated G0 (€)
	ROOM THERMOSTAT		RADIATOR								
	White	Chrome	White	Chrome							
BA10E#080040	A5	A7	N1	N5	80,5	40,0	300				
BA10E#080050	A5	A7	N1	N5		50,0	300				
BA10E#080060	B5	B7	N2	N6		60,0	600				
BA10E#120040	B5	B7	N2	N6	119,5	40,0	600				
BA10E#120050	B5	B7	N2	N6		50,0	600				
BA10E#120060	C5	C7	N3	N7		60,0	900				
BA10E#150040	B5	B7	N2	N6	149,5	40,0	600				
BA10E#150050	C5	C7	N3	N7		50,0	900				
BA10E#150060	C5	C7	N3	N7		60,0	900				
BA10E#180040	C5	C7	N3	N7	181,0	40,0	900				
BA10E#180050	C5	C7	N3	N7		50,0	900				
BA10E#180060	D5	D7	N4	N8		60,0	1200				

ELECTRIC VERSION WITH WIRELESS THERMOSTAT



Model	Edge Cap Colour Code		Wireless Thermostat Code			H (cm)	L (cm)	Electric resistor Watts	Price RAL 9010 CategoryC0 (€)	Price Category C1/C2 (€)	Price Category C3 (€)	Price Chrome plated G0 (€)
			Room Thermostat Kit		Chronothermostat Kit**							
	White	Grey	Chrome*									
BA10E#080040	U1	V1	Z1*	+ZRF004	+ZRF007**	80,5	40,0	300				
BA10E#080050	U1	V1	Z1*	+ZRF004	+ZRF007**		50,0	300				
BA10E#080060	U2	V2	Z2*	+ZRF004	+ZRF007**		60,0	600				
BA10E#120040	U2	V2	Z2*	+ZRF004	+ZRF007**	119,5	40,0	600				
BA10E#120050	U2	V2	Z2*	+ZRF004	+ZRF007**		50,0	600				
BA10E#120060	U3	V3	Z3*	+ZRF004	+ZRF007**		60,0	900				
BA10E#150040	U2	V2	Z2*	+ZRF004	+ZRF007**	149,5	40,0	600				
BA10E#150050	U3	V3	Z3*	+ZRF004	+ZRF007**		50,0	900				
BA10E#150060	U3	V3	Z3*	+ZRF004	+ZRF007**		60,0	900				
BA10E#180040	U3	V3	Z3*	+ZRF004	+ZRF007**	181,0	40,0	900				
BA10E#180050	U3	V3	Z3*	+ZRF004	+ZRF007**		50,0	900				
BA10E#180060	U4	V4	Z4*	+ZRF004	+ZRF007**		60,0	1200				

* Supplied with price surcharge of € 10.00 - ** The chronothermostat kit comes with an extra charge of € 80.00

The wireless ELECTRIC version consists of two articles, eg BA10E#080040 U1 (Electric Towel warmer with white edge cap) + ZRF004 (Kit Roomthermostat) and the total price is shown in the table. If the customer chooses ZRF007 ** (Chronothermostat kit) at the price indicated in the table must be added the extra price of € 78.00

ADDITIONAL CHARGES FOR COLOURS AND FINISHES (see the official Tubes Colour Chart)

For RAL colours not included in the colour chart and according to samples request feasibility and estimate.

PLATED finishes: Nickel Satin finish (NIS code) NOT available, 14kt GOLD finish (cat. G5) and 24kt GOLD (cat. G6), request a cost estimate.

Color_X BA10M Electric

Towel warmer composed of horizontal fusion welded elements in 10 mm diameter steel with 28 mm diam. manifolds

MX

ORDER EXAMPLE

To correctly order this model follow the example specified below:

PRODUCT

BA10M#080050

ST


9010

BA10M#080050 KU1 ST 9010

Article code found in the prices table on the side


Standard Support code, only one support code available for Electric and Mixed version

Colour code found in the TUBES COLOUR CHART




MIXED WITH KIT, EXTERNAL CONNECTOR WITH STANDARD VALVES (cod. BA10M#...)

MIXED VERSION WITH KIT and external connectors




MIXED WITH KIT, REAR CONNECTOR WITH GVR (REMOTE VALVES) (Cod. BA10MS#...)


MIXED VERSION WITH EDGE CAP with rear connectors and GVR




Connection to the Remote Valve Assembly (GVR)




MIXED VERSION WITH KIT AND THERMOSTAT (Room) with external connectors




MIXED VERSION WITH THERMOSTAT (Room/Radiator) and rear connectors for GVR (Room/Radiator) and rear connectors for GVR




Connection to the Remote Valve Assembly (GVR)



MIXED WITH KIT, WIRELESS THERMOSTAT and external connectors




MIXED WITH KIT, WIRELESS THERMOSTAT and rear connectors



Wireless connections

Kit with wireless room thermostat (code ZRF004)




Programmable, Digital wireless chronothermostat (code ZRF007)



The Room Thermostat Kit and Chronothermostat Kit also includes the receiver for wireless connection

Connection to the Remote Valve Assembly (GVR)



ADDITIONAL CHARGES FOR COLOURS AND FINISHES (see the official Tubes Colour Chart)

For RAL colours not included in the colour chart and according to samples request feasibility and estimate.

PLATED finishes: Nickel Satin finish (NIS code) NOT available, 14kt GOLD finish (cat. G5) and 24kt GOLD (cat. G6), request a cost estimate.

MIXED VERSION - (BA10M means the version with kit and standard valves- BA10MS means the version to be connected by GVR and rear connection)

Connectable Version via		Edge Cap Colour Code			H (cm)	L (cm)	Interaxis (Pipe centre) (cm)	Coloured version		Chrome plated version		Electric resistor Watts	Price RAL 9010 CategoryC0 (€)	Price Category C1/C2 (€)	Price Category C3 (€)	Price Chrome plated G0 (€)
Standard Valves	rear connector and GVR	White	Grey	Chrome*				Watts ΔT 50°C	Watts ΔT 30°C	Watts ΔT 50°C	Watts ΔT 30°C					
BA10M#080040	BA10MS#080040	KU1	KV1	KZ1*	80,5	40,0	29,4	392	205	288	150	300				
BA10M#080050	BA10MS#080050	KU1	KV1	KZ1*		50,0	39,4	506	267	371	195	300				
BA10M#080060	BA10MS#080060	KU2	KV2	KZ2*		60,0	49,4	623	332	475	250	600				
BA10M#120040	BA10MS#120040	KU2	KV2	KZ2*	119,5	40,0	29,4	588	312	430	223	600				
BA10M#120050	BA10MS#120050	KU2	KV2	KZ2*		50,0	39,4	755	406	533	278	600				
BA10M#120060	BA10MS#120060	KU3	KV3	KZ3*		60,0	49,4	925	504	636	334	900				
BA10M#150040	BA10MS#150040	KU2	KV2	KZ2*	149,5	40,0	29,4	731	382	535	274	600				
BA10M#150050	BA10MS#150050	KU3	KV3	KZ3*		50,0	39,4	902	476	661	341	900				
BA10M#150060	BA10MS#150060	KU3	KV3	KZ3*		60,0	49,4	1076	573	777	405	900				
BA10M#180040	BA10MS#180040	KU3	KV3	KZ3*	181,0	40,0	29,4	881	466	664	343	900				
BA10M#180050	BA10MS#180050	KU3	KV3	KZ3*		50,0	39,4	1097	586	804	417	900				
BA10M#180060	BA10MS#180060	KU4	KV4	KZ4*		60,0	49,4	1318	712	970	503	1200				

* Supplied with price surcharge of € 10.00

MIXED VERSION WITH THERMOSTAT (Room/Radiator) and rear connectors for GVR - (BA10M means the version with kit and standard valves- BA10MS means the version to be connected by GVR and rear connection)

Connectable Version via		Code Thermostat												Price RAL 9010 CategoryC0 (€)	Price Category C1/C2 (€)	Price Category C3 (€)	Price Chrome plated G0 (€)
Standard Valves	rear connector and GVR	ROOM THER- MOSTAT		RADIATOR		H (cm)	L (cm)	Interaxis (Pipe centre) (cm)	Coloured version		Chrome plated version		Electric resistor Watts				
		White	Chrome	White	Chrome				Watts ΔT 50°C	Watts ΔT 30°C	Watts ΔT 50°C	Watts ΔT 30°C					
BA10M#080040	BA10MS#080040	KA5	KA7	KN1	KN5	80,5	40,0	29,4	392	205	288	150	300				
BA10M#080050	BA10MS#080050	KA5	KA7	KN1	KN5		50,0	39,4	506	267	371	195	300				
BA10M#080060	BA10MS#080060	KB5	KB7	KN2	KN6		60,0	49,4	623	332	475	250	600				
BA10M#120040	BA10MS#120040	KB5	KB7	KN2	KN6	119,5	40,0	29,4	588	312	430	223	600				
BA10M#120050	BA10MS#120050	KB5	KB7	KN2	KN6		50,0	39,4	755	406	533	278	600				
BA10M#120060	BA10MS#120060	KC5	KC7	KN3	KN7		60,0	49,4	925	504	636	334	900				
BA10M#150040	BA10MS#150040	KB5	KB7	KN2	KN6	149,5	40,0	29,4	731	382	535	274	600				
BA10M#150050	BA10MS#150050	KC5	KC7	KN3	KN7		50,0	39,4	902	476	661	341	900				
BA10M#150060	BA10MS#150060	KC5	KC7	KN3	KN7		60,0	49,4	1076	573	777	405	900				
BA10M#180040	BA10MS#180040	KC5	KC7	KN3	KN7	181,0	40,0	29,4	881	466	664	343	900				
BA10M#180050	BA10MS#180050	KC5	KC7	KN3	KN7		50,0	39,4	1097	586	804	417	900				
BA10M#180060	BA10MS#180060	KD5	KD7	KN4	KN8		60,0	49,4	1318	712	970	503	1200				


MIXED VERSION WITH WIRELESS THERMOSTAT - (BA10M means the version with kit and standard valves- BA10MS means the version to be connected by GVR and rear connection)

Connectable Version via		Wireless Thermostat Code													Price RAL 9010 CategoryC0 (€)	Price Category C1/C2 (€)	Price Category C3 (€)	Price Chrome plated G0 (€)
Standard Valves	rear connector and GVR	Edge Cap Colour Code			Room Thermostat Kit	Chronothermostat Kit**	H (cm)	L (cm)	Interaxis (Pipe centre) (cm)	Coloured version		Chrome plated version		Electric resistor Watts				
		White	Grey	Chrome*						Watts ΔT 50°C	Watts ΔT 30°C	Watts ΔT 50°C	Watts ΔT 30°C					
BA10M#080040	BA10MS#080040	KU1	KV1	KZ1*	+ZRF004	+ZRF007**	80,5	40,0	29,4	392	205	288	150	300				
BA10M#080050	BA10MS#080050	KU1	KV1	KZ1*	+ZRF004	+ZRF007**		50,0	39,4	506	267	371	195	300				
BA10M#080060	BA10MS#080060	KU2	KV2	KZ2*	+ZRF004	+ZRF007**		60,0	49,4	623	332	475	250	600				
BA10M#120040	BA10MS#120040	KU2	KV2	KZ2*	+ZRF004	+ZRF007**	119,5	40,0	29,4	588	312	430	223	600				
BA10M#120050	BA10MS#120050	KU2	KV2	KZ2*	+ZRF004	+ZRF007**		50,0	39,4	755	406	533	278	600				
BA10M#120060	BA10MS#120060	KU3	KV3	KZ3*	+ZRF004	+ZRF007**		60,0	49,4	925	504	636	334	900				
BA10M#150040	BA10MS#150040	KU2	KV2	KZ2*	+ZRF004	+ZRF007**	149,5	40,0	29,4	731	382	535	274	600				
BA10M#150050	BA10MS#150050	KU3	KV3	KZ3*	+ZRF004	+ZRF007**		50,0	39,4	902	476	661	341	900				
BA10M#150060	BA10MS#150060	KU3	KV3	KZ3*	+ZRF004	+ZRF007**		60,0	49,4	1076	573	777	405	900				
BA10M#180040	BA10MS#180040	KU3	KV3	KZ3*	+ZRF004	+ZRF007**	181,0	40,0	29,4	881	466	664	343	900				
BA10M#180050	BA10MS#180050	KU3	KV3	KZ3*	+ZRF004	+ZRF007**		50,0	39,4	1097	586	804	417	900				
BA10M#180060	BA10MS#180060	KU4	KV4	KZ4*	+ZRF004	+ZRF007**		60,0	49,4	1318	712	970	503	1200				




* Supplied with price surcharge of € 10.00 - ** The chronothermostat kit comes with an extra charge of € 80.00

The wireless MIXED version consists of two articles, eg. : BA10M#080040 KU1 (MIXED Towel warmer with white edge cap) + ZRF004 (Kit Roomthermostat) and the total price is shown in the table. If the customer chooses ZRF007 ** (Chronothermostat kit) at the price indicated in the table must be added the extra price of € 78.00

REMOTE VALVE ASSEMBLY

code	Description	Price
 GVR#	Valve and Lockshield assembly for recessed remote connection, CHROME finish	€
GVRC#	Valve and Lockshield assembly for recessed remote connection, COLOUR finish	€

STANDARD VALVES (for Valves and Lockshields, valves that can be fitted with thermostat, Thermostatic valves, or Single pipe, Twin pipe, Stainless steel and thermostatic heads see pages 271, 272, 273, 274 und 275 of the Price List)

code / Description	Price
 Z1TLNR#ANR129010 Paired Valve and Lockshield copper Angle 1/2" WHITE	€
 Z1RAC#R12CRO 2 copper unions diam. 12 mm	CHROME €
 ZRCF# Kit with pipe collars for towel warmers	WHITE €