

## ORDER EXAMPLE

To correctly order this model follow the example specified below:

## PRODUCT

BA25#120050

OB1

ST

9010

BA25#120050 OB1 ST 9010

Article code found in the prices table on the side

Connector code found in the table here below

Standard Support code found in the table here below

Colour code found in the TUBES COLOUR CHART

## ACCESSORIES


Z1TLNR#AN R12 9010

Z1RAC#R12CRO

Valve and Lockshield - Copper angle 1/2" for copper pipes or multi-layer pipes - White RAL 9010

12mm diam. copper pipe unions for Valve+Lockshield – chrome finish (2)

For other types of Valves see the table below or those on pages 271 - 272 - 273 - 274 - 275.



## CONNECTORS

The towel warmers are supplied with "OB1" connectors.

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors of towel warmers and radiators connected to the same system should all have the same configuration otherwise operating problems could occur.

## Standard connectors

Will be supplied if not otherwise specified when placing the order

## Rear connector

Supplied on request WITH an additional price charge of €

## Custom-made connectors


Supplied on request WITH an additional price charge of €

## Connectors on request

Supplied on request WITHOUT an additional price charge

## Custom-made connectors


Supplied on request WITH an additional price charge of €



Interaxis (Pipe centre)  
l=L-3,4 cm




l=L-3,4 cm  
rear connector for connection to GVR



Interaxis (Pipe centre)  
l=L+13,8 cm





Interaxis (Pipe centre)  
l=H-7,0 cm




Interaxis (Pipe centre)  
l=H-7,0 cm



single pipe



Specify "i" and "d"  
i min.=5 cm d min.=2 cm



## SUPPORTS

The towel warmers are supplied with standard supports (code ST) that include wall fixing shelves, pressure anchors and manual Vent Valve.


On request they can be ordered with bracket supports that are permanently welded on the towel warmers and therefore must be specified when placing the order, their code and cost are as follows:

code MD WALL TYPE bracket support on the Right €  
code MS WALL TYPE bracket support on the Left €  
code SO CEILING TYPE bracket support €

## LIMITS

WALL TYPE bracket support Width max 60.0 cm  
CEILING TYPE bracket support Width max 80.0 cm

The Chrome plated version cannot be supplied with bracket supports




## ADDITIONAL CHARGES FOR COLOURS AND FINISHES (see the official Tubes Colour Chart)

RAL colours not included in the colour chart + 30% more than Pure white price (cat. C0), for colours according to samples request feasibility and estimate.  
PLATED finishes: Nickel Satin finish same price as Glossy CHROME (cat. G1), 14kt GOLD finish (cat. G5) and 24kt gold (cat. G6), request a cost estimate

# BATH 25


Price per radiator with White RAL 9010 finish and standard connectors - VAT and transport charges excluded






Code	H (cm)	L (cm)	Interaxis (Pipe centre) (cm)	Water Content (l)	Coloured version		Category C0 RAL 9010 (€)	Category C1/C2 (€)	Category C3 (€)
					Watts $\Delta T$ 50°C	Watts $\Delta T$ 30°C			
BA25#070040	70,5	40,0	36,6	3,93	352	189			
BA25#070050		50,0	46,6	4,65	441	238			
BA25#070060		60,0	56,6	5,36	529	287			
BA25#070070		70,0	66,6	6,08	617	336			
BA25#070080		80,0	76,6	6,79	705	386			
BA25#070090		90,0	86,6	7,51	793	436			
BA25#070100		100,0	96,6	8,23	881	487			
BA25#120040	119,5	40,0	36,6	6,26	536	284			
BA25#120050		50,0	46,6	7,37	670	357			
BA25#120060		60,0	56,6	8,49	803	431			
BA25#120070		70,0	66,6	9,60	937	506			
BA25#120080		80,0	76,6	10,71	1071	583			
BA25#120090		90,0	86,6	11,83	1205	661			
BA25#120100		100,0	96,6	12,94	1339	739			
BA25#150040	144,5	40,0	36,6	7,43	614	328			
BA25#150050		50,0	46,6	8,74	768	412			
BA25#150060		60,0	56,6	10,05	922	497			
BA25#150070		70,0	66,6	11,36	1075	582			
BA25#150080		80,0	76,6	12,67	1229	666			
BA25#150090		90,0	86,6	13,98	1382	754			
BA25#150100		100,0	96,6	15,30	1536	842			
BA25#190040	193,5	40,0	36,6	9,76	792	423			
BA25#190050		50,0	46,6	11,65	990	530			
BA25#190060		60,0	56,6	13,17	1188	636			
BA25#190070		70,0	66,6	14,88	1386	743			
BA25#190080		80,0	76,6	16,59	1584	851			
BA25#190090		90,0	86,6	18,30	1782	958			
BA25#190100		100,0	96,6	20,01	1980	1066			

In the CHROME (plated) version the code BA25 becomes BA25G  
For correction factors different to  $\Delta T 50^{\circ}\text{C}/\Delta T 30^{\circ}\text{C}$  see page 284-289

## REMOTE VALVE ASSEMBLY

code	Description	Price
 GVR#	Valve and Lockshield assembly for recessed remote connection, CHROME finish	€
GVRC#	Valve and Lockshield assembly for recessed remote connection, COLOUR finish	€

STANDARD VALVES (for Valves and Lockshields, valves that can be fitted with thermostat, Thermostatic valves, or Single pipe, Twin pipe, Stainless steel and thermostatic heads see pages 271, 272, 273, 274 and 275 of the Price List)

code / Description	Price
 Z1TLNR#ANR129010 Paired Valve and Lockshield copper Angle 1/2" WHITE	€
 Z1RAC#R12CRO 2 copper unions diam. 12 mm	CHROME €
 ZRCF# Kit with pipe collars for towel warmers	WHITE €

# BATH 25 DOUBLE

Towel warmer composed of horizontal fusion welded elements in 25 mm diameter steel with 34 mm diam. manifolds


HW

## ORDER EXAMPLE

To correctly order this model follow the example specified below:

PRODUCT	BA25D#120050 OB1 ST 9010
BA25D#120050	Article code found in the prices table on the side
OB1	Connector code found in the table here below
ST	Standard Support code found in the table here below
9010	Colour code found in the TUBES COLOUR CHART
ACCESSORIES	
Z1TLNR#AN R12 9010	Valve and Lockshield - Copper angle 1/2" for copper pipes or multi-layer pipes - White RAL 9010
Z1RAC#R12CRO	12mm diam. copper pipe unions for Valve+Lockshield – chrome finish (2)

For other types of Valves see the table below or those on pages 271 - 272 - 273 - 274 - 275.




## CONNECTORS

The towel warmers are supplied with "OB1" connectors.

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors of towel warmers and radiators connected to the same system should all have the same configuration otherwise operating problems could occur.

### Standard connectors


Will be supplied if not otherwise specified when placing the order



Interaxis (Pipe centre)  
L=3,4 cm

### Custom-made connectors


Supplied on request WITH an additional price charge of €



Interaxis (Pipe centre) L=L+13,8 cm  
Interaxis (Pipe centre) L=H-7,0 cm  
Interaxis (Pipe centre) L=H-7,0 cm

### Connectors on request


Supplied on request WITHOUT an additional price charge



single pipe

### Custom-made connectors

Supplied on request WITH an additional price charge of €



Specify "i" and "d"  
i min.=5 cm d min.=2 cm

## SUPPORTS

The towel warmers are supplied with standard supports (code ST) that include wall fixing shelves, pressure anchors and manual Vent Valve.


On request they can be ordered with bracket supports that are permanently welded on the towel warmers and therefore must be specified when placing the order, their code and cost are as follows:

code MD	WALL TYPE bracket support on the Right	€
code MS	WALL TYPE bracket support on the Left	€
code SO	CEILING TYPE bracket support	€


### LIMITS

WALL TYPE bracket support	Width max 40.0 cm
CEILING TYPE bracket support	Width max 60.0 cm


The Chrome plated version cannot be supplied with bracket supports



Standard WALL type support (ST code)



WALL TYPE bracket support (MD code wall on right) (MS code wall on left)



CEILING TYPE bracket support (SO code)

## ADDITIONAL CHARGES FOR COLOURS AND FINISHES (see the official Tubes Colour Chart)


RAL colours not included in the colour chart + 30% more than Pure white price (cat. C0), for colours according to samples request feasibility and estimate.

PLATED finishes: NOT available

# BATH 25 DOUBLE

Price per radiator with White RAL 9010 finish and standard connectors - VAT and transport charges excluded


HW






Code	H (cm)	L (cm)	Interaxis (Pipe centre) (cm)	Water Content (l)	Coloured version		Category C0 RAL 9010 (€)	Category C1/C2 (€)	Category C3 (€)
					Watts $\Delta T$ 50°C	Watts $\Delta T$ 30°C			
BA25D#070040	70,5	40,0	36,6	7,87	552	286			
BA25D#070050		50,0	46,6	9,30	690	357			
BA25D#070060		60,0	56,6	10,73	828	429			
BA25D#070070		70,0	66,6	12,16	966	500			
BA25D#070080		80,0	76,6	13,59	1104	572			
BA25D#070090		90,0	86,6	15,02	1242	643			
BA25D#070100		100,0	96,6	16,45	1380	715			
BA25D#120040	119,5	40,0	36,6	12,52	832	431			
BA25D#120050		50,0	46,6	14,75	1039	538			
BA25D#120060		60,0	56,6	16,97	1247	646			
BA25D#120070		70,0	66,6	19,20	1455	754			
BA25D#120080		80,0	76,6	21,42	1662	861			
BA25D#120090		90,0	86,6	23,65	1870	969			
BA25D#120100		100,0	96,6	25,88	2078	1076			
BA25D#150040	144,5	40,0	36,6	14,85	962	498			
BA25D#150050		50,0	46,6	17,47	1203	623			
BA25D#150060		60,0	56,6	20,10	1443	747			
BA25D#150070		70,0	66,6	22,72	1684	872			
BA25D#150080		80,0	76,6	25,34	1925	997			
BA25D#150090		90,0	86,6	27,97	2165	1121			
BA25D#150100		100,0	96,6	30,59	2405	1246			
BA25D#190040	193,5	40,0	36,6	19,51	1205	624			
BA25D#190050		50,0	46,6	23,29	1507	781			
BA25D#190060		60,0	56,6	26,35	1809	937			
BA25D#190070		70,0	66,6	29,76	2110	1093			
BA25D#190080		80,0	76,6	33,18	2411	1249			
BA25D#190090		90,0	86,6	36,60	2713	1405			
BA25D#190100		100,0	96,6	40,02	3014	1561			

For correction factors different to  $\Delta T 50^{\circ}\text{C}/\Delta T 30^{\circ}\text{C}$  see page 284-289

## REMOTE VALVE ASSEMBLY

code	Description	Price
 GVR#	Valve and Lockshield assembly for recessed remote connection, CHROME finish	€
GVRC#	Valve and Lockshield assembly for recessed remote connection, COLOUR finish	€

**STANDARD VALVES** (for Valves and Lockshields, valves that can be fitted with thermostat, Thermostatic valves, or Single pipe, Twin pipe, Stainless steel and thermostatic heads see pages 271, 272, 273, 274 and 275 of the Price List)

code / Description	Price
 Z1TLNR#ANR129010 Paired Valve and Lockshield copper Angle 1/2" WHITE	€
 Z1RAC#R12CRO 2 copper unions diam. 12 mm	CHROME €
 ZRCF# Kit with pipe collars for towel warmers	WHITE €

BATH 25 i5

Towel warmer composed of horizontal fusion welded elements in 25 mm diameter steel with 34 mm diam. manifolds




HW

ORDER EXAMPLE

To correctly order this model follow the example specified below:

PRODUCT	BA25i5#120050 0i5 ST 9010
BA25 i5#120050	Article code found in the prices table here below
0i5	Connection code for 5 cm Interaxis (Pipe centre) (Pipe centre)
ST	Standard Support code found in the table here below
9010	Colour code found in the TUBES COLOUR CHART
ACCESSORIES	
Z1TLNR#AN R12 9010	Valve and Lockshield - Copper angle 1/2" for copper pipes or multi-layer pipes - White RAL 9010
Z1RAC#R12CRO	12mm diam. copper pipe unions for Valve+Lockshield – chrome finish (2)

For other types of Valves see the table below or those on pages 271 - 272 - 273 - 274 - 275.








Code	H (cm)	L (cm)	Interaxis (Pipe centre) (cm)	Water Content (l)	Coloured version		Category C0 RAL 9010 (€)	Category C1/C2 (€)	Category C3 (€)
					Watts ΔT 50°C	Watts ΔT 30°C			
BA25i5#070040	74,5	40,0	5	3,93	352	189			
BA25i5#070050		50,0	5	4,65	441	238			
BA25i5#070060		60,0	5	5,36	529	287			
BA25i5#120040	123,5	40,0	5	6,26	536	284			
BA25i5#120050		50,0	5	7,37	670	357			
BA25i5#120060		60,0	5	8,49	803	431			
BA25i5#150040	148,5	40,0	5	7,43	614	328			
BA25i5#150050		50,0	5	8,74	768	412			
BA25i5#150060		60,0	5	10,05	922	497			
BA25i5#190040	197,5	40,0	5	9,76	792	423			
BA25i5#190050		50,0	5	11,65	990	530			
BA25i5#190060		60,0	5	13,17	1188	636			

For correction factors different to ΔT50°C/ΔT30°C see page 284-289

ADDITIONAL CHARGES FOR COLOURS AND FINISHES (see the official Tubes Colour Chart)

RAL colours not included in the colour chart + 30% more than Pure white price (cat. C0), for colours according to samples request feasibility and estimate.  
PLATED finishes: See model BATH 25 G Chrome-plated at page 152

STANDARD VALVES (for Valves and Lockshields, valves that can be fitted with thermostat, Thermostatic valves, or Single pipe, Twin pipe, Stainless steel and thermostatic heads see pages 271, 272, 273, 274 und 275 of the Price List)

code / Description			Price	code / Description			Price
	Z1TLNR#ANR129010	Paired Valve and Lockshield copper Angle 1/2" WHITE	€		Z1TL5NR#ANR12SX...	Valves with 5 cm Interaxis (Pipe centre) 5 cm - Left	9010 € CHROME €
	Z1RAC#R12CRO	2 copper unions diam. 12 mm	CHROME €		Z1TL5NR#ANR12DX...	Valves with 5 cm Interaxis (Pipe centre) 5 cm - Right	9010 € CHROME €
	ZRCF#	Kit with pipe collars for towel warmers	WHITE €				

BATH 25 i5 DOUBLE


Towel warmer composed of horizontal fusion welded elements in 25 mm diameter steel with 34 mm diam. manifolds

HW



ORDER EXAMPLE

To correctly order this model follow the example specified below:

PRODUCT	BA25DI5#120050 0i5 ST 9010
BA25D i5#120050	Article code found in the prices table here below
0i5	Connection code for 5 cm Interaxis (Pipe centre) (Pipe centre)
ST	Standard Support code found in the table here below
9010	Colour code found in the TUBES COLOUR CHART
ACCESSORIES	
Z1TLNR#AN R12 9010	Valve and Lockshield - Copper angle 1/2" for copper pipes or multi-layer pipes - White RAL 9010
Z1RAC#R12CRO	12mm diam. copper pipe unions for Valve+Lockshield – chrome finish (2)



For other types of Valves see the table below or those on pages 271 - 272 - 273 - 274 - 275.








Code	H (cm)	L (cm)	Interaxis (Pipe centre) (cm)	Water Content (l)	Coloured version		Category C0 RAL 9010 (€)	Category C1/C2 (€)	Category C3 (€)
					Watts ΔT 50°C	Watts ΔT 30°C			
BA25DI5#070040	74,5	40,0	5	7,87	552	286			
BA25DI5#070050		50,0	5	9,30	690	357			
BA25DI5#070060		60,0	5	10,73	828	429			
BA25DI5#120040	123,5	40,0	5	12,52	832	431			
BA25DI5#120050		50,0	5	14,75	1039	538			
BA25DI5#120060		60,0	5	16,97	1247	646			
BA25DI5#150040	148,5	40,0	5	14,85	962	498			
BA25DI5#150050		50,0	5	17,47	1203	623			
BA25DI5#150060		60,0	5	20,10	1443	747			
BA25DI5#190040	197,5	40,0	5	19,51	1205	624			
BA25DI5#190050		50,0	5	23,29	1507	781			
BA25DI5#190060		60,0	5	26,35	1809	937			

For correction factors different to ΔT50°C/ΔT30°C see page 284-289

ADDITIONAL CHARGES FOR COLOURS AND FINISHES (see the official Tubes Colour Chart)

RAL colours not included in the colour chart + 30% more than Pure white price (cat. C0), for colours according to samples request feasibility and estimate.  
PLATED finishes: NOT available

STANDARD VALVES (for Valves and Lockshields, valves that can be fitted with thermostat, Thermostatic valves, or Single pipe, Twin pipe, Stainless steel and thermostatic heads see pages 271, 272, 273, 274 und 275 of the Price List)

code / Description			Price	code / Description			Price
	Z1TLNR#ANR129010	Paired Valve and Lockshield copper Angle 1/2" WHITE	€		Z1TL5NR#ANR12SX...	9010	€
					Valves with 5 cm Interaxis (Pipe centre) 5 cm - Left	CHROME	€
	Z1RAC#R12CRO	2 copper unions diam. 12 mm	CHROME €		Z1TL5NR#ANR12DX...	9010	€
					Valves with 5 cm Interaxis (Pipe centre) 5 cm - Right	CHROME	€
	ZRCF#	Kit with pipe collars for towel warmers	WHITE €				

# BATH 25 Electric

Towel warmer composed of horizontal fusion welded elements in 25 mm diameter steel with 34 mm diam. manifolds

EL

## ORDER EXAMPLE

To correctly order this model follow the example specified below:

### PRODUCT

BA25E#080050

U1

ST

9010


BA25E#080050 U1 ST 9010

Article code found in the prices table on the side


Resistance code listed in the next list

Standard Support code, only one support code available for Electric and Mixed version


Colour code found in the TUBES COLOUR CHART




## ELECTRIC VERSION WITH EDGE CAP



## ELECTRIC VERSION WITH THERMOSTAT



## ELECTRIC VERSION WITH WIRELESS THERMOSTAT




# BATH 25 Electric

Towel warmer composed of horizontal fusion welded elements in 25 mm diameter steel with 34 mm diam. manifolds



EL

## ELECTRIC VERSION WITH EDGE CAP




Electric Standard

Model	Edge Cap Colour Code			H (cm)	L (cm)	Electric resistor Watts	Price RAL 9010 CategoryC0 (€)	Price Category C1/C2 (€)	Price Category C3 (€)
	White	Grey	Chrome*						
BA25E#070040	U1	V1	Z1*	70,5	40,0	300 W			
BA25E#070050	U1	V1	Z1*		50,0	300 W			
BA25E#070060	U2	V2	Z2*		60,0	600 W			
BA25E#120040	U2	V2	Z2*	119,5	40,0	600 W			
BA25E#120050	U2	V2	Z2*		50,0	600 W			
BA25E#120060	U3	V3	Z3*		60,0	900 W			
BA25E#150040	U2	V2	Z2*	144,5	40,0	600 W			
BA25E#150050	U3	V3	Z3*		50,0	900 W			
BA25E#150060	U3	V3	Z3*		60,0	900 W			
BA25E#190040	U3	V3	Z3*	193,5	40,0	900 W			
BA25E#190050	U3	V3	Z3*		50,0	900 W			
BA25E#190060	U4	V4	Z4*		60,0	1200 W			

\* Supplied with price surcharge of € 10.00


## ELECTRIC VERSION WITH THERMOSTAT



Electric  
- Room Thermostat  
- Radiator Thermostat

Model	Code Thermostat				H (cm)	L (cm)	Electric resistor Watts	Price RAL 9010 CategoryC0 (€)	Price Category C1/C2 (€)	Price Category C3 (€)
	ROOM THERMOSTAT		RADIATOR							
	White	Chrome	White	Chrome						
BA25E#070040	A5	A7	N1	N5	70,5	40,0	300 W			
BA25E#070050	A5	A7	N1	N5		50,0	300 W			
BA25E#070060	B5	B7	N2	N6		60,0	600 W			
BA25E#120040	B5	B7	N2	N6	119,5	40,0	600 W			
BA25E#120050	B5	B7	N2	N6		50,0	600 W			
BA25E#120060	C5	C7	N3	N7		60,0	900 W			
BA25E#150040	B5	B7	N2	N6	144,5	40,0	600 W			
BA25E#150050	C5	C7	N3	N7		50,0	900 W			
BA25E#150060	C5	C7	N3	N7		60,0	900 W			
BA25E#190040	C5	C7	N3	N7	193,5	40,0	900 W			
BA25E#190050	C5	C7	N3	N7		50,0	900 W			
BA25E#190060	D5	D7	N4	N8		60,0	1200 W			

## ELECTRIC VERSION WITH WIRELESS THERMOSTAT



Electric with wireless  
Thermostat

Model	Edge Cap Colour Code		Wireless Thermostat Code		H (cm)	L (cm)	Electric resistor Watts	Price RAL 9010 CategoryC0 (€)	Price Category C1/C2 (€)	Price Category C3 (€)
			Room	Chronothermostat						
	White	Grey	Chrome*	Thermostat Kit	Kit**					
BA25E#070040	U1	V1	Z1*	+ZRF004	+ZRF007**	70,5	40,0	300 W		
BA25E#070050	U1	V1	Z1*	+ZRF004	+ZRF007**		50,0	300 W		
BA25E#070060	U2	V2	Z2*	+ZRF004	+ZRF007**		60,0	600 W		
BA25E#120040	U2	V2	Z2*	+ZRF004	+ZRF007**	119,5	40,0	600 W		
BA25E#120050	U2	V2	Z2*	+ZRF004	+ZRF007**		50,0	600 W		
BA25E#120060	U3	V3	Z3*	+ZRF004	+ZRF007**		60,0	900 W		
BA25E#150040	U2	V2	Z2*	+ZRF004	+ZRF007**	144,5	40,0	600 W		
BA25E#150050	U3	V3	Z3*	+ZRF004	+ZRF007**		50,0	900 W		
BA25E#150060	U3	V3	Z3*	+ZRF004	+ZRF007**		60,0	900 W		
BA25E#190040	U3	V3	Z3*	+ZRF004	+ZRF007**	193,5	40,0	900 W		
BA25E#190050	U3	V3	Z3*	+ZRF004	+ZRF007**		50,0	900 W		
BA25E#190060	U4	V4	Z4*	+ZRF004	+ZRF007**		60,0	1200 W		

\* Supplied with price surcharge of € 10.00 - \*\* The chronothermostat kit comes with an extra charge of € 80.00

The wireless ELECTRIC version consists of two articles, eg BA25E#070040 U1 (Electric Towel warmer with white edge cap) + ZRF004 (Kit Roomthermostat) and the total price is shown in the table. If the customer chooses ZRF007 \*\* (Chronothermostat kit) at the price indicated in the table must be added the extra price of € 78.00

## ADDITIONAL CHARGES FOR COLOURS AND FINISHES (see the official Tubes Colour Chart)

For RAL colours not included in the colour chart and according to samples request feasibility and estimate

PLATED finishes: Nickel Satin finish same price as Glossy CHROME (cat. G1), 14kt GOLD finish (cat. G5) and 24kt gold (cat. G6), request a cost estimate



# BATH 25 Mixed

Towel warmer composed of horizontal fusion welded elements in 25 mm diameter steel with 34 mm diam. manifolds

MX

## ORDER EXAMPLE

To correctly order this model follow the example specified below:

PRODUCT

BA25M#080050

ST


9010

BA25M#080050 KU1 ST 9010

Article code found in the prices table on the side


Standard Support code, only one support code available for Electric and Mixed version

Colour code found in the TUBES COLOUR CHART




## MIXED WITH KIT, EXTERNAL CONNECTOR WITH STANDARD VALVES (cod. BA25M#...)

MIXED VERSION WITH KIT and external connectors




## MIXED WITH KIT, REAR CONNECTOR WITH GVR (REMOTE VALVES) (Cod. BA25MS#...)


MIXED VERSION WITH EDGE CAP with rear connectors and GVR





Connection to the Remote Valve Assembly (GVR)




## MIXED VERSION WITH KIT AND THERMOSTAT (Room) with external connectors




## MIXED VERSION WITH THERMOSTAT (Room/Radiator) and rear connectors for GVR (Room/Radiator) and rear connectors for GVR



## MIXED WITH KIT, WIRELESS THERMOSTAT and external connectors




## MIXED WITH KIT, WIRELESS THERMOSTAT and rear connectors



Wireless connections


Kit with wireless room thermostat (code ZRF004)



Programmable, Digital wireless chronothermostat (code ZRF007)



The Room Thermostat Kit and Chronothermostat Kit also includes the receiver for wireless connection



## ADDITIONAL CHARGES FOR COLOURS AND FINISHES (see the official Tubes Colour Chart)

For RAL colours not included in the colour chart and according to samples request feasibility and estimate.

PLATED finishes: Nickel Satin finish same price as Glossy CHROME (cat. G1), 14kt GOLD finish (cat. G5) and 24kt gold (cat. G6), request a cost estimate

MIXED VERSION - (BA25M means the version with kit and standard valves- BA20MS means the version to be connected by GVR and rear connection)

Connectable Version via		Edge Cap Colour Code			H (cm)	L (cm)	Interaxis (Pipe centre) (cm)	Thermal yield		Electric resistor Watts	Price RAL 9010 CategoryC0 (€)	Price Category C1/C2 (€)	Price Category C3 (€)
Standard Valves	rear connector and GVR	White	Grey	Chrome*				Watts ΔT 50°C	Watts ΔT 30°C				
BA25M#070040	BA25MS#070040	KU1	KV1	KZ1*	70,5	40,0	29,4	352	189	300 W			
BA25M#070050	BA25MS#070050	KU1	KV1	KZ1*		50,0	39,4	441	238	300 W			
BA25M#070060	BA25MS#070060	KU2	KV2	KZ2*		60,0	49,4	529	287	600 W			
BA25M#120040	BA25MS#120040	KU2	KV2	KZ2*	119,5	40,0	29,4	536	284	600 W			
BA25M#120050	BA25MS#120050	KU2	KV2	KZ2*		50,0	39,4	670	357	600 W			
BA25M#120060	BA25MS#120060	KU3	KV3	KZ3*		60,0	49,4	803	431	900 W			
BA25M#150040	BA25MS#150040	KU2	KV2	KZ2*	144,5	40,0	29,4	614	328	600 W			
BA25M#150050	BA25MS#150050	KU3	KV3	KZ3*		50,0	39,4	768	412	900 W			
BA25M#150060	BA25MS#150060	KU3	KV3	KZ3*		60,0	49,4	922	497	900 W			
BA25M#190040	BA25MS#190040	KU3	KV3	KZ3*	193,5	40,0	29,4	792	423	900 W			
BA25M#190050	BA25MS#190050	KU3	KV3	KZ3*		50,0	39,4	990	530	900 W			
BA25M#190060	BA25MS#190060	KU4	KV4	KZ4*		60,0	49,4	1188	636	1200 W			

\* Supplied with price surcharge of € 10.00

MIXED VERSION WITH THERMOSTAT (Room/Radiator) and rear connectors for GVR - (BA25M means the version with kit and standard valves- BA20MS means the version to be connected by GVR and rear connection)

Connectable Version via		Code Thermostat												
Standard Valves	rear connector and GVR	ROOM THERMO-STAT		RADIATOR		H (cm)	L (cm)	Interaxis (Pipe centre) (cm)	Thermal yield		Electric resistor Watts	Price RAL 9010 CategoryC0 (€)	Price Category C1/C2 (€)	Price Category C3 (€)
		White	Chrome	White	Chrome				Watts ΔT 50°C	Watts ΔT 30°C				
BA25M#070040	BA25MS#070040	KA5	KA7	KN1	KN5	70,5	40,0	29,4	352	189	300 W			
BA25M#070050	BA25MS#070050	KA5	KA7	KN1	KN5		50,0	39,4	441	238	300 W			
BA25M#070060	BA25MS#070060	KB5	KB7	KN2	KN6		60,0	49,4	529	287	600 W			
BA25M#120040	BA25MS#120040	KB5	KB7	KN2	KN6	119,5	40,0	29,4	536	284	600 W			
BA25M#120050	BA25MS#120050	KB5	KB7	KN2	KN6		50,0	39,4	670	357	600 W			
BA25M#120060	BA25MS#120060	KC5	KC7	KN3	KN7		60,0	49,4	803	431	900 W			
BA25M#150040	BA25MS#150040	KB5	KB7	KN2	KN6	144,5	40,0	29,4	614	328	600 W			
BA25M#150050	BA25MS#150050	KC5	KC7	KN3	KN7		50,0	39,4	768	412	900 W			
BA25M#150060	BA25MS#150060	KC5	KC7	KN3	KN7		60,0	49,4	922	497	900 W			
BA25M#190040	BA25MS#190040	KC5	KC7	KN3	KN7	193,5	40,0	29,4	792	423	900 W			
BA25M#190050	BA25MS#190050	KC5	KC7	KN3	KN7		50,0	39,4	990	530	900 W			
BA25M#190060	BA25MS#190060	KD5	KD7	KN4	KN8		60,0	49,4	1188	636	1200 W			


MIXED VERSION WITH WIRELESS THERMOSTAT - (BA25M means the version with kit and standard valves- BA20MS means the version to be connected by GVR and rear connection)

Connectable Version via		Wireless Thermostat Code					H (cm)	L (cm)	Interaxis (Pipe centre) (cm)	Thermal yield		Electric resistor Watts	Price RAL 9010 CategoryC0 (€)	Price Category C1/C2 (€)	Price Category C3 (€)
Standard Valves	rear connector and GVR	Edge Cap Colour Code			Room Thermostat Kit	Chronothermostat Kit**				Watts ΔT 50°C	Watts ΔT 30°C				
		White	Grey	Chrome*											
BA25M#070040	BA25MS#070040	KU1	KV1	KZ1*	+ZRF004	+ZRF007**	70,5	40,0	29,4	352	189	300 W			
BA25M#070050	BA25MS#070050	KU1	KV1	KZ1*	+ZRF004	+ZRF007**		50,0	39,4	441	238	300 W			
BA25M#070060	BA25MS#070060	KU2	KV2	KZ2*	+ZRF004	+ZRF007**		60,0	49,4	529	287	600 W			
BA25M#120040	BA25MS#120040	KU2	KV2	KZ2*	+ZRF004	+ZRF007**	119,5	40,0	29,4	536	284	600 W			
BA25M#120050	BA25MS#120050	KU2	KV2	KZ2*	+ZRF004	+ZRF007**		50,0	39,4	670	357	600 W			
BA25M#120060	BA25MS#120060	KU3	KV3	KZ3*	+ZRF004	+ZRF007**		60,0	49,4	803	431	900 W			
BA25M#150040	BA25MS#150040	KU2	KV2	KZ2*	+ZRF004	+ZRF007**	144,5	40,0	29,4	614	328	600 W			
BA25M#150050	BA25MS#150050	KU3	KV3	KZ3*	+ZRF004	+ZRF007**		50,0	39,4	768	412	900 W			
BA25M#150060	BA25MS#150060	KU3	KV3	KZ3*	+ZRF004	+ZRF007**		60,0	49,4	922	497	900 W			
BA25M#190040	BA25MS#190040	KU3	KV3	KZ3*	+ZRF004	+ZRF007**	193,5	40,0	29,4	792	423	900 W			
BA25M#190050	BA25MS#190050	KU3	KV3	KZ3*	+ZRF004	+ZRF007**		50,0	39,4	990	530	900 W			
BA25M#190060	BA25MS#190060	KU4	KV4	KZ4*	+ZRF004	+ZRF007**		60,0	49,4	1188	636	1200 W			




\* Supplied with price surcharge of € 10.00 - \*\* The chronothermostat kit comes with an extra charge of € 80.00

The wireless MIXED version consists of two articles, eg. : BA25M#070040 KU1 (MIXED Towel warmer with white edge cap) + ZRF004 (Kit Roomthermostat) and the total price is shown in the table. If the customer chooses ZRF007 \*\* (Chronothermostat kit) at the price indicated in the table must be added the extra price of € 78.00

REMOTE VALVE ASSEMBLY

code	Description	Price
 GVR#	Valve and Lockshield assembly for recessed remote connection, CHROME finish	€
GVRC#	Valve and Lockshield assembly for recessed remote connection, COLOUR finish	€

STANDARD VALVES (for Valves and Lockshields, valves that can be fitted with thermostat, Thermostatic valves, or Single pipe, Twin pipe, Stainless steel and thermostatic heads see pages 271, 272, 273, 274 und 275 of the Price List)

code / Description	Price
 Z1TLNR#ANR129010 Paired Valve and Lockshield copper Angle 1/2" WHITE	€
 Z1RAC#R12CRO 2 copper unions diam. 12 mm	CHROME €
 ZRCF# Kit with pipe collars for towel warmers	WHITE €

# BATH 25G CHROME-PLATED

Towel warmer composed of horizontal fusion welded elements in 25 mm diameter steel with 34 mm diam. manifolds


HW

## ORDER EXAMPLE

To correctly order this model follow the example specified below:

PRODUCT	BA25G#120050 OB1 ST 9010
BA25G#120050	Article code found in the prices table on the side
OB1	Connector code found in the table here below
ST	Standard Support code found in the table here below
CRO	Finish code found in the Tubes Colour Chart
ACCESSORIES	
Z1TLNR#AN R12 9010	Valve and Lockshield - Copper angle 1/2" for copper pipes or multi-layer pipes - White RAL 9010
Z1RAC#R12CRO	12mm diam. copper pipe unions for Valve+Lockshield – chrome finish (2)

For other types of Valves see the table below or those on pages 271 - 272 - 273 - 274 - 275.




## CONNECTORS

The towel warmers are supplied with “OB1” connectors.  
If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors of the radiators ordered and the radiators connected to the same system should all have the same configuration otherwise operating problems could occur.

### Standard connectors


Will be supplied if not otherwise specified when placing the order



Interaxis (Pipe centre)  
l=L-3,4 cm

### Connectors on request


Supplied on request WITHOUT an additional price charge



single pipe

## SUPPORTS

The towel warmers are supplied with standard supports (code ST) that include wall fixing shelves, pressure anchors and manual Vent Valve.




Standard WALL type support  
(ST code)

## ADDITIONAL CHARGES FOR COLOURS AND FINISHES (see the official Tubes Colour Chart)

PLATED finishes: Nickel Satin finish same price as Glossy CHROME (cat. G1), 14kt GOLD finish (cat. G5) and 24kt gold (cat. G6), request a cost estimate

# BATH 25G CHROME-PLATED

Price per radiator with Chrome finish and standard connectors - VAT and transport excluded






Code	H (cm)	L (cm)	Interaxis (Pipe centre) (cm)	Water Content (l)	Chrome plated version		Chrome plated G0 (€)	Category G1 Satin-finish Nickel (€)	Category G5 14kt gold (€)	Category G6 24kt gold (€)
					Watts $\Delta T$ 50°C	Watts $\Delta T$ 30°C				
BA25G#070040	75,8	40,0	36,6	3,62	239	127				
BA25G#070050		50,0	46,6	4,52	299	158				
BA25G#070060		60,0	56,6	5,43	359	189				
BA25G#120040	120,3	40,0	36,6	5,27	355	180				
BA25G#120050		50,0	46,6	6,58	444	227				
BA25G#120060		60,0	56,6	7,90	533	274				
BA25G#150040	148,2	40,0	36,6	6,72	440	237				
BA25G#150050		50,0	46,6	8,40	550	299				
BA25G#150060		60,0	56,6	10,00	660	362				
BA25G#190040	188,0	40,0	36,6	8,15	551	298				
BA25G#190050		50,0	46,6	10,19	689	373				
BA25G#190060		60,0	56,6	12,23	827	449				

For correction factors different to  $\Delta T 50^\circ\text{C}/\Delta T 30^\circ\text{C}$  see page 284-289

Towel warmers available in stock with OB1 connector

**STANDARD VALVES** (for Valves and Lockshields, valves that can be fitted with thermostat, Thermostatic valves, or Single pipe, Twin pipe, Stainless steel and thermostatic heads see pages 271, 272, 273, 274 und 275 of the Price List)

code / Description		Price
	Z1TLNRG#ANR12CRO Paired Valve and Lockshield copper Angle 1/2" CHROME	€
	Z1RAC#R12CRO 2 copper unions diam. 12 mm CHROME	€
	ZRCFG# Kit with pipe collars for towel warmers CHROME	€

# BATH 25G Electric Chrome-Plated


Towel warmer composed of horizontal fusion welded elements in 25 mm diameter steel with 34 mm diam. manifolds

EL


## ORDER EXAMPLE

To correctly order this model follow the example specified below:


PRODUCT	BA25EG#070050 U1 ST 9010
BA25EG#070050	Article code found in the prices table on the side
U1	Resistance code listed in the next list
ST	Standard Support code, only one support code available for Electric and Mixed version
CRO	Colour code found in the TUBES COLOUR CHART




## ELECTRIC VERSION WITH EDGE CAP



## ELECTRIC VERSION WITH THERMOSTAT




## ELECTRIC VERSION WITH WIRELESS THERMOSTAT



# BATH 25G Electric Chrome-Plated

Price per radiator with Chrome finish and standard connectors - VAT and transport excluded


## ELECTRIC VERSION WITH EDGE CAP



Model	Edge Cap Colour Code			H (cm)	L (cm)	Electric resistor Watts	Price Chrome plated G0 (€)	Price Category G1 Satin-finish Nickel (€)	Price Category G5 14kt gold (€)	Price Category G6 24kt gold (€)
	White	Grey	Chrome*							
BA25EG#070040	U1	V1	Z1*	75,8	40,0	300 W				
BA25EG#070050	U1	V1	Z1*		50,0	300 W				
BA25EG#070060	U1	V1	Z1*		60,0	300 W				
BA25EG#120040	U2	V2	Z2*	120,3	40,0	600 W				
BA25EG#120050	U2	V2	Z2*		50,0	600 W				
BA25EG#120060	U2	V2	Z2*		60,0	600 W				
BA25EG#150040	U2	V2	Z2*	148,2	40,0	600 W				
BA25EG#150050	U3	V3	Z3*		50,0	900 W				
BA25EG#150060	U3	V3	Z3*		60,0	900 W				
BA25EG#190040	U3	V3	Z3*	188,0	40,0	900 W				
BA25EG#190050	U4	V4	Z4*		50,0	1200 W				
BA25EG#190060	U4	V4	Z4*		60,0	1200 W				


\* Supplied with price surcharge of € 10.00

## ELECTRIC VERSION WITH THERMOSTAT



Model	Code Thermostat				H (cm)	L (cm)	Electric resistor Watts	Price Chrome plated G0 (€)	Price Category G1 Satin-finish Nickel (€)	Price Category G5 14kt gold (€)	Price Category G6 24kt gold (€)
	ROOM THERMOSTAT		RADIATOR								
	White	Chrome	White	Chrome							
BA25EG#070040	A5	A7	N1	N5	75,8	40,0	300 W				
BA25EG#070050	A5	A7	N1	N5		50,0	300 W				
BA25EG#070060	A5	A7	N1	N5		60,0	300 W				
BA25EG#120040	B5	B7	N2	N6	120,3	40,0	600 W				
BA25EG#120050	B5	B7	N2	N6		50,0	600 W				
BA25EG#120060	B5	B7	N2	N6		60,0	600 W				
BA25EG#150040	B5	B7	N2	N6	148,2	40,0	600 W				
BA25EG#150050	C5	C7	N3	N7		50,0	900 W				
BA25EG#150060	C5	C7	N3	N7		60,0	900 W				
BA25EG#190040	C5	C7	N3	N7	188,0	40,0	900 W				
BA25EG#190050	D5	D7	N4	N8		50,0	1200 W				
BA25EG#190060	D5	D7	N4	N8		60,0	1200 W				

## ELECTRIC VERSION WITH WIRELESS THERMOSTAT



Model	Edge Cap Colour Code			Wireless Thermostat Code		H (cm)	L (cm)	Electric resistor Watts	Price Chrome plated G0 (€)	Price Category G1 Satin-finish Nickel (€)	Price Category G5 14kt gold (€)	Price Category G6 24kt gold (€)
	White	Grey	Chrome*	Room	Chronothermostat							
				Thermostat Kit	Kit**							
BA25EG#070040	U1	V1	Z1*	+ZRF004	+ZRF007**	75,8	40,0	300 W				
BA25EG#070050	U1	V1	Z1*	+ZRF004	+ZRF007**		50,0	300 W				
BA25EG#070060	U1	V1	Z1*	+ZRF004	+ZRF007**		60,0	300 W				
BA25EG#120040	U2	V2	Z2*	+ZRF004	+ZRF007**	120,3	40,0	600 W				
BA25EG#120050	U2	V2	Z2*	+ZRF004	+ZRF007**		50,0	600 W				
BA25EG#120060	U2	V2	Z2*	+ZRF004	+ZRF007**		60,0	600 W				
BA25EG#150040	U2	V2	Z2*	+ZRF004	+ZRF007**	148,2	40,0	600 W				
BA25EG#150050	U3	V3	Z3*	+ZRF004	+ZRF007**		50,0	900 W				
BA25EG#150060	U3	V3	Z3*	+ZRF004	+ZRF007**		60,0	900 W				
BA25EG#190040	U3	V3	Z3*	+ZRF004	+ZRF007**	188,0	40,0	900 W				
BA25EG#190050	U4	V4	Z4*	+ZRF004	+ZRF007**		50,0	1200 W				
BA25EG#190060	U4	V4	Z4*	+ZRF004	+ZRF007**		60,0	1200 W				

\* Supplied with price surcharge of € 10.00 - \*\* The chronothermostat kit comes with an extra charge of € 80.00

The wireless ELECTRIC version consists of two articles, eg BA25EG#070040 U1 (Electric Towel warmer with white edge cap) + ZRF004 (Kit Roomthermostat) and the total price is shown in the table. If the customer chooses ZRF007 \*\* (Chronothermostat kit) at the price indicated in the table must be added the extra price of € 78.00

## ADDITIONAL CHARGES FOR COLOURS AND FINISHES (see the official Tubes Colour Chart)

PLATED finishes: Nickel Satin finish same price as Glossy CHROME (cat. G1), 14kt GOLD finish (cat. G5) and 24kt gold (cat. G6), request a cost estimate

# BATH 25G Mixed Chrome-Plated

Towel warmer composed of horizontal fusion welded elements in 25 mm diameter steel with 34 mm diam. manifolds

MX

## ORDER EXAMPLE

To correctly order this model follow the example specified below:

PRODUCT

BA25MG#070050

ST

CRO

BA25MG#070050 KU1 ST 9010


Article code found in the prices table on the side

Standard Support code, only one support code available for Electric and Mixed version

Colour code found in the TUBES COLOUR CHART



## MIXED WITH KIT, EXTERNAL CONNECTOR WITH STANDARD VALVES (cod. BA25MG#...)

MIXED VERSION WITH KIT and external connectors




## MIXED WITH KIT, REAR CONNECTOR WITH GVR (REMOTE VALVES) (Cod. BA25MSG#...)


MIXED VERSION WITH EDGE CAP with rear connectors and GVR





Connection to the Remote Valve Assembly (GVR)




## MIXED VERSION WITH KIT AND THERMOSTAT (Room) with external connectors




## MIXED VERSION WITH THERMOSTAT (Room/Radiator) and rear connectors for GVR (Room/Radiator) and rear connectors for GVR



## MIXED WITH KIT, WIRELESS THERMOSTAT and external connectors




## MIXED WITH KIT, WIRELESS THERMOSTAT and rear connectors



### Wireless connections


Kit with wireless room thermostat (code ZRF004)



Programmable, Digital wireless chronothermostat (code ZRF007)



The Room Thermostat Kit and Chronothermostat Kit also includes the receiver for wireless connection



## ADDITIONAL CHARGES FOR COLOURS AND FINISHES (see the official Tubes Colour Chart)

PLATED finishes: Nickel Satin finish same price as Glossy CHROME (cat. G1), 14kt GOLD finish (cat. G5) and 24kt gold (cat. G6), request a cost estimate



BATH 25G Mixed Chrome-Plated

Towel warmer composed of horizontal fusion welded elements in 25 mm diameter steel with 34 mm diam. manifolds



MIXED VERSION - (BA25MG means the version with kit and standard valves- BA20MSG means the version to be connected by GVR and rear connection)

Connectable Version via		Edge Cap Colour Code			H (cm)	L (cm)	Interaxis (Pipe centre) (cm)	Thermal yield		Electric resistor Watts	Price Chrome plated G0 (€)	Price Category G1 Satin-finish Nickel (€)	Price Category G5 14kt gold (€)	Price Category G6 24kt gold (€)
Standard Valves	rear connector and GVR	White	Grey	Chrome*				Watts ΔT 50°C	Watts ΔT 30°C					
BA25MG#070040	BA25MSG#070040	KU1	KV1	KZ1*	75,8	40,0	29,4	239	127	300 W				
BA25MG#070050	BA25MSG#070050	KU1	KV1	KZ1*		50,0	39,4	299	158	300 W				
BA25MG#070060	BA25MSG#070060	KU2	KV2	KZ2*		60,0	49,4	359	189	300 W				
BA25MG#120040	BA25MSG#120040	KU2	KV2	KZ2*	120,3	40,0	29,4	355	180	600 W				
BA25MG#120050	BA25MSG#120050	KU2	KV2	KZ2*		50,0	39,4	444	227	600 W				
BA25MG#120060	BA25MSG#120060	KU3	KV3	KZ3*		60,0	49,4	533	274	600 W				
BA25MG#150040	BA25MSG#150040	KU2	KV2	KZ2*	148,2	40,0	29,4	440	237	600 W				
BA25MG#150050	BA25MSG#150050	KU3	KV3	KZ3*		50,0	39,4	550	299	900 W				
BA25MG#150060	BA25MSG#150060	KU3	KV3	KZ3*		60,0	49,4	660	362	900 W				
BA25MG#190040	BA25MSG#190040	KU3	KV3	KZ3*	188,0	40,0	29,4	551	298	900 W				
BA25MG#190050	BA25MSG#190050	KU3	KV3	KZ3*		50,0	39,4	689	373	1200 W				
BA25MG#190060	BA25MSG#190060	KU4	KV4	KZ4*		60,0	49,4	827	449	1200 W				

\* Supplied with price surcharge of € 10.00

MIXED VERSION WITH THERMOSTAT (Room/Radiator) and rear connectors for GVR - (BA25MG means the version with kit and standard valves- BA20MSG means the version to be connected by GVR and rear connection)

Connectable Version via		Code Thermostat										Price	Price	Price	Price
Standard Valves	rear connector and GVR	ROOM THER-MOSTAT		RADIATOR		H (cm)	L (cm)	Interaxis (Pipe centre) (cm)	Thermal yield		Electric resistor Watts	Chrome plated G0 (€)	Category G1 Satin-finish Nickel (€)	Category G5 14kt gold (€)	Category G6 24kt gold (€)
		White	Chrome	White	Chrome				Watts ΔT 50°C	Watts ΔT 30°C					
BA25MG#070040	BA25MSG#070040	KA5	KA7	KN1	KN5	75,8	40,0	29,4	239	127	300 W				
BA25MG#070050	BA25MSG#070050	KA5	KA7	KN1	KN5		50,0	39,4	299	158	300 W				
BA25MG#070060	BA25MSG#070060	KA5	KA7	KN2	KN6		60,0	49,4	359	189	300 W				
BA25MG#120040	BA25MSG#120040	KB5	KB7	KN2	KN6	120,3	40,0	29,4	355	180	600 W				
BA25MG#120050	BA25MSG#120050	KB5	KB7	KN2	KN6		50,0	39,4	444	227	600 W				
BA25MG#120060	BA25MSG#120060	KB5	KB7	KN3	KN7		60,0	49,4	533	274	600 W				
BA25MG#150040	BA25MSG#150040	KB5	KB7	KN2	KN6	148,2	40,0	29,4	440	237	600 W				
BA25MG#150050	BA25MSG#150050	KC5	KC7	KN3	KN7		50,0	39,4	550	299	900 W				
BA25MG#150060	BA25MSG#150060	KC5	KC7	KN3	KN7		60,0	49,4	660	362	900 W				
BA25MG#190040	BA25MSG#190040	KC5	KC7	KN3	KN7	188,0	40,0	29,4	551	298	900 W				
BA25MG#190050	BA25MSG#190050	KD5	KD7	KN3	KN7		50,0	39,4	689	373	1200 W				
BA25MG#190060	BA25MSG#190060	KD5	KD7	KN4	KN8		60,0	49,4	827	449	1200 W				

MIXED VERSION WITH WIRELESS THERMOSTAT - (BA25MG means the version with kit and standard valves- BA20MSG means the version to be connected by GVR and rear connection)

Connectable Version via		Wireless Thermostat Code				H (cm)	L (cm)	Interaxis (Pipe centre) (cm)	Thermal yield		Electric resistor Watts	Price Chrome plated G0 (€)	Price Category G1 Satin-finish Nickel (€)	Price Category G5 14kt gold (€)	Price Category G6 24kt gold (€)
Standard Valves	rear connector and GVR	Edge Cap Colour Code		Room Thermostat Kit	Chronothermostat Kit**				Watts ΔT 50°C	Watts ΔT 30°C					
		White	Grey	Chrome*											
BA25MG#070040	BA25MSG#070040	KU1	KV1	KZ1*	+ZRF004	+ZRF007**	75,8	40,0	29,4	239	127	300 W			
BA25MG#070050	BA25MSG#070050	KU1	KV1	KZ1*	+ZRF004	+ZRF007**		50,0	39,4	299	158	300 W			
BA25MG#070060	BA25MSG#070060	KU1	KV1	KZ1*	+ZRF004	+ZRF007**		60,0	49,4	359	189	300 W			
BA25MG#120040	BA25MSG#120040	KU2	KV2	KZ2*	+ZRF004	+ZRF007**	120,3	40,0	29,4	355	180	600 W			
BA25MG#120050	BA25MSG#120050	KU2	KV2	KZ2*	+ZRF004	+ZRF007**		50,0	39,4	444	227	600 W			
BA25MG#120060	BA25MSG#120060	KU2	KV2	KZ2*	+ZRF004	+ZRF007**		60,0	49,4	533	274	600 W			
BA25MG#150040	BA25MSG#150040	KU2	KV2	KZ2*	+ZRF004	+ZRF007**	148,2	40,0	29,4	440	237	600 W			
BA25MG#150050	BA25MSG#150050	KU3	KV3	KZ3*	+ZRF004	+ZRF007**		50,0	39,4	550	299	900 W			
BA25MG#150060	BA25MSG#150060	KU3	KV3	KZ3*	+ZRF004	+ZRF007**		60,0	49,4	660	362	900 W			
BA25MG#190040	BA25MSG#190040	KU3	KV3	KZ3*	+ZRF004	+ZRF007**	188,0	40,0	29,4	551	298	900 W			
BA25MG#190050	BA25MSG#190050	KU4	KV4	KZ4*	+ZRF004	+ZRF007**		50,0	39,4	689	373	1200 W			
BA25MG#190060	BA25MSG#190060	KU4	KV4	KZ4*	+ZRF004	+ZRF007**		60,0	49,4	827	449	1200 W			

\* Supplied with price surcharge of € 10.00 - \*\* The chronothermostat kit comes with an extra charge of € 80.00

The wireless MIXED version consists of two articles, eg.: BA25MG#070040 KU1 (MIXED Towel warmer with white edge cap) + ZRF004 (Kit Roomthermostat) and the total price is shown in the table. If the customer chooses ZRF007 \*\* (Chronothermostat kit) at the price indicated in the table must be added the extra price of € 78.00

STANDARD VALVES (for Valves and Lockshields, valves that can be fitted with thermostat, Thermostatic valves, or Single pipe, Twin pipe, Stainless steel and thermostatic heads see pages 271, 272, 273, 274 und 275 of the Price List)

code / Description		Price
	Z1TLNRG#ANR12CRO Paired Valve and Lockshield copper Angle 1/2" CHROME	€
	Z1RAC#R12CRO 2 copper unions diam. 12 mm CHROME	€
	ZRCFG# Kit with pipe collars for towel warmers WHITE	€