


ORDER EXAMPLE

To correctly order this model follow the example specified below:

PRODUCT	BA15K#120050 OB1 ST 9010
BA15K#120050	Article code found in the prices table on the side
OB1	Connector code found in the table here below
ST	Standard Support code found in the table here below
9010	Colour code found in the TUBES COLOUR CHART
ACCESSORIES	
Z1TLNR#AN R12 9010	Valve and Lockshield - Copper angle 1/2" for copper pipes or multi-layer pipes - White RAL 9010
Z1RAC#R12CRO	12mm diam. copper pipe unions for Valve+Lockshield – chrome finish (2)

For other types of Valves see the table below or those on pages 271 - 272 - 273 - 274 - 275.




CONNECTORS

The towel warmers are supplied with "OB1" connectors.

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors of towel warmers and radiators connected to the same system should all have the same configuration otherwise operating problems could occur.

Standard connectors


Will be supplied if not otherwise specified when placing the order



Interaxis (Pipe centre)
l=L-3,4 cm

Rear connector


Supplied on request WITH an additional price charge of €




l=L-3,4 cm
rear connector for connection to GVR

Custom-made connectors


Supplied on request WITH an additional price charge of €



Interaxis (Pipe centre)
l=L+13,8 cm



Interaxis (Pipe centre)
l=H-5,5 cm



Interaxis (Pipe centre)
l=H-5,5 cm

Connectors on request



Supplied on request WITHOUT an additional price charge



single pipe

Custom-made connectors

Supplied on request WITH an additional price charge of €



Specify "i" and "d"
i min.=5 cm d min.=2 cm

SUPPORTS

The towel warmers are supplied with standard supports (code ST) that include wall fixing shelves, pressure anchors and manual Vent Valve.


On request they can be ordered with bracket supports that are permanently welded on the towel warmers and therefore must be specified when placing the order, their code and cost are as follows:

code MD	WALL TYPE bracket support on the Right	€
code MS	WALL TYPE bracket support on the Left	€
code SO	CEILING TYPE bracket support	€

LIMITS

WALL TYPE bracket support	Width max 60.0 cm
CEILING TYPE bracket support	Width max 80.0 cm


The Chrome plated version cannot be supplied with bracket supports



ADDITIONAL CHARGES FOR COLOURS AND FINISHES (see the official Tubes Colour Chart)

RAL colours not included in the colour chart + 30% more than Pure white price (cat. C0), for colours according to samples request feasibility and estimate.


PLATED finishes: Nickel Satin finish (NIS code) NOT available, 14kt GOLD finish (cat. G5)+50% and 24kt GOLD (cat. G6)+60% more than Chrome (Cat.G0).






Code	H (cm)	L (cm)	Interaxis (Pipe centre) (cm)	Water Content (l)	Coloured version		Chrome plated version		Category C0 RAL 9010 (€)	Category C1/C2 (€)	Category C3 (€)	Chrome plated G0 (€)
					Watts ΔT 50°C	Watts ΔT 30°C	Watts ΔT 50°C	Watts ΔT 30°C				
BA15K#070040	73,0	40,0	36,6	1,50	350	186	237	126				
BA15K#070050		50,0	46,6	1,87	455	244	296	159				
BA15K#070060		60,0	56,6	2,25	562	305	355	193				
BA15K#120040	113,0	40,0	36,6	2,25	516	276	348	186				
BA15K#120050		50,0	46,6	2,81	657	354	435	234				
BA15K#120060		60,0	56,6	3,37	800	435	522	284				
BA15K#150040	153,0	40,0	36,6	3,00	712	380	454	242				
BA15K#150050		50,0	46,6	3,74	893	480	567	305				
BA15K#150060		60,0	56,6	4,49	1077	582	681	368				
BA15K#190040	193,0	40,0	36,6	3,74	859	457	570	304				
BA15K#190050		50,0	46,6	4,68	1074	579	712	384				
BA15K#190060		60,0	56,6	5,62	1294	707	855	467				

In the CHROME (plated) version the code BA15K becomes BA15KG
For correction factors different to ΔT50°C/ΔT30°C see page 284-289

REMOTE VALVE ASSEMBLY

code	Description	Price
 GVR#	Valve and Lockshield assembly for recessed remote connection, CHROME finish	€
GVRC#	Valve and Lockshield assembly for recessed remote connection, COLOUR finish	€

STANDARD VALVES (for Valves and Lockshields, valves that can be fitted with thermostat, Thermostatic valves, or Single pipe, Twin pipe, Stainless steel and thermostatic heads see pages 271, 272, 273, 274 und 275 of the Price List)

code / Description	Price
 Z1TLNR#ANR129010 Paired Valve and Lockshield copper Angle 1/2" WHITE	€
 Z1RAC#R12CRO 2 copper unions diam. 12 mm	CHROME €
 ZRCF# Kit with pipe collars for towel warmers	CHROME €

KUBIK BA15K i5

Towel warmer composed of horizontal fusion welded elements in 15x15 mm square section steel with 28 mm diam. manifolds




HW

ORDER EXAMPLE

To correctly order this model follow the example specified below:

PRODUCT	BA15Ki5#120050 0i5 ST 9010
BA15K i5#120050	Article code found in the prices table here below
0i5	Connection code for 5 cm Interaxis (Pipe centre) (Pipe centre)
ST	Standard Support code found in the table here below
9010	Colour code found in the TUBES COLOUR CHART
ACCESSORIES	
Z1TLNR#AN R12 9010	Valve and Lockshield - Copper angle 1/2" for copper pipes or multi-layer pipes - White RAL 9010
Z1RAC#R12CRO	12mm diam. copper pipe unions for Valve+Lockshield – chrome finish (2)

For other types of Valves see the table below or those on pages 271 - 272 - 273 - 274 - 275.



ADDITIONAL CHARGES FOR COLOURS AND FINISHES (see the official Tubes Colour Chart)

RAL colours not included in the colour chart + 30% more than Pure white price (cat. C0), for colours according to samples request feasibility and estimate.
PLATED finishes: Nickel Satin finish (NIS code) NOT available, 14kt GOLD finish (cat. G5)+50% and 24kt GOLD (cat. G6)+60% more than Chrome (Cat.G0).

KUBIK BA15K i5

Towel warmer composed of horizontal fusion welded elements in 15x15 mm square section steel with 28 mm diam. manifolds






HW

Code	H (cm)	L (cm)	Interaxis (Pipe centre) (cm)	Water Content (l)	Coloured version		Chrome plated version		Category C0 RAL 9010 (€)	Category C1/C2 (€)	Category C3 (€)	Chrome plated G0 (€)
					Watts ΔT 50°C	Watts ΔT 30°C	Watts ΔT 50°C	Watts ΔT 30°C				
BA15KI5#070040	77,0	40,0	5	1,50	350	186	237	126				
BA15KI5#070050		50,0	5	1,87	455	244	296	159				
BA15KI5#070060		60,0	5	2,25	562	305	355	193				
BA15KI5#120040	117,0	40,0	5	2,25	516	276	348	186				
BA15KI5#120050		50,0	5	2,81	657	354	435	234				
BA15KI5#120060		60,0	5	3,37	800	435	522	284				
BA15KI5#150040	157,0	40,0	5	3,00	712	380	454	242				
BA15KI5#150050		50,0	5	3,74	893	480	567	305				
BA15KI5#150060		60,0	5	4,49	1077	582	681	368				
BA15KI5#190040	197,0	40,0	5	3,74	859	457	570	304				
BA15KI5#190050		50,0	5	4,68	1074	579	712	384				
BA15KI5#190060		60,0	5	5,62	1294	707	855	467				

For correction factors different to ΔT50°C/ΔT30°C see page 284-289* In the Chrome (Plated) Version the code BA15KI5

becomes BA15KI5G

STANDARD VALVES (for Valves and Lockshields, valves that can be fitted with thermostat, Thermostatic valves, or Single pipe, Twin pipe, Stainless steel and thermostatic heads see pages 271, 272, 273, 274 und 275 of the Price List)

code / Description		Price	code / Description		Price
	Z1TLNR#ANR129010 Paired Valve and Lockshield copper Angle 1/2" WHITE	€		Z1TL5NR#ANR12SX... Valves with 5 cm Interaxis (Pipe centre) 5 cm - Left	9010 € CHROME €
	Z1RAC#R12CRO 2 copper unions diam. 12 mm CHROME	€		Z1TL5NR#ANR12DX... Valves with 5 cm Interaxis (Pipe centre) 5 cm - Right	9010 € CHROME €
	ZRCF# Kit with pipe collars for towel warmers WHITE	€			

ORDER EXAMPLE

To correctly order this model follow the example specified below:

PRODUCT

BA15KE#080050

U1

ST

9010


BA15KE#080050 U1 ST 9010

Article code found in the prices table on the side


Resistance code listed in the next list

Standard Support code, only one support code available for Electric and Mixed version


Colour code found in the TUBES COLOUR CHART




ELECTRIC VERSION WITH EDGE CAP



ELECTRIC VERSION WITH THERMOSTAT



ELECTRIC VERSION WITH WIRELESS THERMOSTAT




KUBIK BA15K Electric

Price per radiator with White RAL 9010 finish and standard connectors - VAT and transport charges excluded



ELECTRIC VERSION WITH EDGE CAP




Electric Standard

Model	Edge Cap Colour Code			H (cm)	L (cm)	Electric resistor Watts	Price RAL 9010 CategoryC0 (€)	Price Category C1/C2 (€)	Price Category C3 (€)	Price Chrome plated G0 (€)
	White	Grey	Chrome*							
BA15KE#070040	U1	V1	Z1*	73,0	40,0	300				
BA15KE#070050	U1	V1	Z1*		50,0	300				
BA15KE#070060	U2	V2	Z2*		60,0	600				
BA15KE#120040	U2	V2	Z2*	113,0	40,0	600				
BA15KE#120050	U2	V2	Z2*		50,0	600				
BA15KE#120060	U3	V3	Z3*		60,0	900				
BA15KE#150040	U2	V2	Z2*	153,0	40,0	600				
BA15KE#150050	U3	V3	Z3*		50,0	900				
BA15KE#150060	U3	V3	Z3*		60,0	900				
BA15KE#190040	U3	V3	Z3*	193,0	40,0	900				
BA15KE#190050	U3	V3	Z3*		50,0	900				
BA15KE#190060	U4	V4	Z4*		60,0	1200				

* Supplied with price surcharge of € 10.00


ELECTRIC VERSION WITH THERMOSTAT



Electric
- Room Thermostat
- Radiator Thermostat

Model	Code Thermostat				H (cm)	L (cm)	Electric resistor Watts	Price RAL 9010 CategoryC0 (€)	Price Category C1/C2 (€)	Price Category C3 (€)	Price Chrome plated G0 (€)
	ROOM THERMOSTAT		RADIATOR								
	White	Chrome	White	Chrome							
BA15KE#070040	A5	A7	N1	N5	73,0	40,0	300				
BA15KE#070050	A5	A7	N1	N5		50,0	300				
BA15KE#070060	B5	B7	N2	N6		60,0	600				
BA15KE#120040	B5	B7	N2	N6	113,0	40,0	600				
BA15KE#120050	B5	B7	N2	N6		50,0	600				
BA15KE#120060	C5	C7	N3	N7		60,0	900				
BA15KE#150040	B5	B7	N2	N6	153,0	40,0	600				
BA15KE#150050	C5	C7	N3	N7		50,0	900				
BA15KE#150060	C5	C7	N3	N7		60,0	900				
BA15KE#190040	C5	C7	N3	N7	193,0	40,0	900				
BA15KE#190050	C5	C7	N3	N7		50,0	900				
BA15KE#190060	D5	D7	N4	N8		60,0	1200				

ELECTRIC VERSION WITH WIRELESS THERMOSTAT



Electric with wireless
Thermostat

Model	Edge Cap Colour Code		Wireless Thermostat Code			H (cm)	L (cm)	Electric resistor Watts	Price RAL 9010 CategoryC0 (€)	Price Category C1/C2 (€)	Price Category C3 (€)	Price Chrome plated G0 (€)
			Room Thermostat Kit		Chronothermostat Kit**							
	White	Grey	Chrome*									
BA15KE#070040	U1	V1	Z1*	+ZRF004	+ZRF007**	73,0	40,0	300				
BA15KE#070050	U1	V1	Z1*	+ZRF004	+ZRF007**		50,0	300				
BA15KE#070060	U2	V2	Z2*	+ZRF004	+ZRF007**		60,0	600				
BA15KE#120040	U2	V2	Z2*	+ZRF004	+ZRF007**	113,0	40,0	600				
BA15KE#120050	U2	V2	Z2*	+ZRF004	+ZRF007**		50,0	600				
BA15KE#120060	U3	V3	Z3*	+ZRF004	+ZRF007**		60,0	900				
BA15KE#150040	U2	V2	Z2*	+ZRF004	+ZRF007**	153,0	40,0	600				
BA15KE#150050	U3	V3	Z3*	+ZRF004	+ZRF007**		50,0	900				
BA15KE#150060	U3	V3	Z3*	+ZRF004	+ZRF007**		60,0	900				
BA15KE#190040	U3	V3	Z3*	+ZRF004	+ZRF007**	193,0	40,0	900				
BA15KE#190050	U3	V3	Z3*	+ZRF004	+ZRF007**		50,0	900				
BA15KE#190060	U4	V4	Z4*	+ZRF004	+ZRF007**		60,0	1200				

* Supplied with price surcharge of € 10.00 - ** The chronothermostat kit comes with an extra charge of € 80.00

The wireless ELECTRIC version consists of two articles, eg BA15KE#070040 U1 (Electric Towel warmer with white edge cap) + ZRF004 (Kit Roomthermostat) and the total price is shown in the table. If the customer chooses ZRF007 ** (Chronothermostat kit) at the price indicated in the table must be added the extra price of € 78.00

ADDITIONAL CHARGES FOR COLOURS AND FINISHES (see the official Tubes Colour Chart)

For RAL colours not included in the colour chart and according to samples request feasibility and estimate

PLATED finishes: Nickel Satin finish (NIS code) NOT available, 14kt GOLD finish (cat. G5)+50% and 24kt GOLD (cat. G6)+60% more than Chrome (Cat.G0).

KUBIK BA15K Mixed

Towel warmer composed of horizontal fusion welded elements in 15x15 mm square section steel with 28 mm diam. manifolds

MX

ORDER EXAMPLE

To correctly order this model follow the example specified below:

PRODUCT

BA15KM#080050

ST

9010

BA15KM#080050 KU1 ST 9010


Article code found in the prices table on the side

Standard Support code, only one support code available for Electric and Mixed version

Colour code found in the TUBES COLOUR CHART



MIXED WITH KIT, EXTERNAL CONNECTOR WITH STANDARD VALVES (cod. BA15KM#...)

MIXED VERSION WITH KIT and external connectors




MIXED WITH KIT, REAR CONNECTOR WITH GVR (REMOTE VALVES) (cod. BA15KMS#...)


MIXED VERSION WITH EDGE CAP with rear connectors and GVR




MIXED VERSION WITH KIT AND THERMOSTAT (Room) with external connectors




MIXED VERSION WITH THERMOSTAT (Room/Radiator) and rear connectors for GVR (Room/Radiator) and rear connectors for GVR




Connection to the Remote Valve Assembly (GVR)




Connection to the Remote Valve Assembly (GVR)



MIXED WITH KIT, WIRELESS THERMOSTAT and external connectors




MIXED WITH KIT, WIRELESS THERMOSTAT and rear connectors



Wireless connections

Kit with wireless room thermostat (code ZRF004)




Programmable, Digital wireless chronothermostat (code ZRF007)



The Room Thermostat Kit and Chronothermostat Kit also includes the receiver for wireless connection

Connection to the Remote Valve Assembly (GVR)



ADDITIONAL CHARGES FOR COLOURS AND FINISHES (see the official Tubes Colour Chart)

For RAL colours not included in the colour chart and according to samples request feasibility and estimate.

PLATED finishes: Nickel Satin finish (NIS code) NOT available, 14kt GOLD finish (cat. G5)+50% and 24kt GOLD (cat. G6)+60% more than Chrome (Cat.G0).

MIXED VERSION - (BA15KM means the version with kit and standard valves- BA15KMS means the version to be connected by GVR and rear connection)

Connectable Version via		Edge Cap Colour Code			H (cm)	L (cm)	Interaxis (Pipe centre) (cm)	Coloured version		Chrome plated version		Electric resistor Watts	Price RAL 9010 CategoryC0 (€)	Price Category C1/C2 (€)	Price Category C3 (€)	Price Chrome plated G0 (€)
Standard Valves	rear connector and GVR	White	Grey	Chrome*				Watts ΔT 50°C	Watts ΔT 30°C	Watts ΔT 50°C	Watts ΔT 30°C					
BA15KM#070040	BA15KMS#070040	KU1	KV1	KZ1*	73,0	40,0	29,4	350	186	237	126	300				
BA15KM#070050	BA15KMS#070050	KU1	KV1	KZ1*		50,0	39,4	455	244	296	159	300				
BA15KM#070060	BA15KMS#070060	KU2	KV2	KZ2*		60,0	49,4	562	305	355	193	600				
BA15KM#120040	BA15KMS#120040	KU2	KV2	KZ2*	113,0	40,0	29,4	516	276	348	186	600				
BA15KM#120050	BA15KMS#120050	KU2	KV2	KZ2*		50,0	39,4	657	354	435	234	600				
BA15KM#120060	BA15KMS#120060	KU3	KV3	KZ3*		60,0	49,4	800	435	522	284	900				
BA15KM#150040	BA15KMS#150040	KU2	KV2	KZ2*	153,0	40,0	29,4	712	380	454	242	600				
BA15KM#150050	BA15KMS#150050	KU3	KV3	KZ3*		50,0	39,4	893	480	567	305	900				
BA15KM#150060	BA15KMS#150060	KU3	KV3	KZ3*		60,0	49,4	1077	582	681	368	900				
BA15KM#190040	BA15KMS#190040	KU3	KV3	KZ3*	193,0	40,0	29,4	859	457	570	304	900				
BA15KM#190050	BA15KMS#190050	KU3	KV3	KZ3*		50,0	39,4	1074	579	712	384	900				
BA15KM#190060	BA15KMS#190060	KU4	KV4	KZ4*		60,0	49,4	1294	707	855	467	1200				

* Supplied with price surcharge of € 10.00

MIXED VERSION WITH THERMOSTAT (Room/Radiator) and rear connectors for GVR - (BA15KM means the version with kit and standard valves- BA15KMS means the version to be connected by GVR and rear connection)

Connectable Version via		Code Thermostat												Price RAL 9010 CategoryC0 (€)	Price Category C1/C2 (€)	Price Category C3 (€)	Price Chrome plated G0 (€)
Standard Valves	rear connector and GVR	ROOM THER- MOSTAT		RADIATOR		H (cm)	L (cm)	Interaxis (Pipe centre) (cm)	Coloured version		Chrome plated version		Electric resistor Watts				
		White	Chrome	White	Chrome				Watts ΔT 50°C	Watts ΔT 30°C	Watts ΔT 50°C	Watts ΔT 30°C					
BA15KM#070040	BA15KMS#070040	KA5	KA7	KN1	KN5	73,0	40,0	29,4	350	186	237	126	300				
BA15KM#070050	BA15KMS#070050	KA5	KA7	KN1	KN5		50,0	39,4	455	244	296	159	300				
BA15KM#070060	BA15KMS#070060	KB5	KB7	KN2	KN6		60,0	49,4	562	305	355	193	600				
BA15KM#120040	BA15KMS#120040	KB5	KB7	KN2	KN6	113,0	40,0	29,4	516	276	348	186	600				
BA15KM#120050	BA15KMS#120050	KB5	KB7	KN2	KN6		50,0	39,4	657	354	435	234	600				
BA15KM#120060	BA15KMS#120060	KC5	KC7	KN3	KN7		60,0	49,4	800	435	522	284	900				
BA15KM#150040	BA15KMS#150040	KB5	KB7	KN2	KN6	153,0	40,0	29,4	712	380	454	242	600				
BA15KM#150050	BA15KMS#150050	KC5	KC7	KN3	KN7		50,0	39,4	893	480	567	305	900				
BA15KM#150060	BA15KMS#150060	KC5	KC7	KN3	KN7		60,0	49,4	1077	582	681	368	900				
BA15KM#190040	BA15KMS#190040	KC5	KC7	KN3	KN7	193,0	40,0	29,4	859	457	570	304	900				
BA15KM#190050	BA15KMS#190050	KC5	KC7	KN3	KN7		50,0	39,4	1074	579	712	384	900				
BA15KM#190060	BA15KMS#190060	KD5	KD7	KN4	KN8		60,0	49,4	1294	707	855	467	1200				


MIXED VERSION WITH WIRELESS THERMOSTAT - (BA15KM means the version with kit and standard valves- BA15KMS means the version to be connected by GVR and rear connection)

Connectable Version via		Wireless Thermostat Code													Price RAL 9010 CategoryC0 (€)	Price Category C1/C2 (€)	Price Category C3 (€)	Price Chrome plated G0 (€)
Standard Valves	rear connector and GVR	Edge Cap Colour Code			Room Thermostat Kit	Chronothermostat Kit**	H (cm)	L (cm)	Interaxis (Pipe centre) (cm)	Coloured version		Chrome plated version		Electric resistor Watts				
		White	Grey	Chrome*						Watts ΔT 50°C	Watts ΔT 30°C	Watts ΔT 50°C	Watts ΔT 30°C					
BA15KM#070040	BA15KMS#070040	KU1	KV1	KZ1*	+ZRF004	+ZRF007**	73,0	40,0	29,4	350	186	237	126	300				
BA15KM#070050	BA15KMS#070050	KU1	KV1	KZ1*	+ZRF004	+ZRF007**		50,0	39,4	455	244	296	159	300				
BA15KM#070060	BA15KMS#070060	KU2	KV2	KZ2*	+ZRF004	+ZRF007**		60,0	49,4	562	305	355	193	600				
BA15KM#120040	BA15KMS#120040	KU2	KV2	KZ2*	+ZRF004	+ZRF007**	113,0	40,0	29,4	516	276	348	186	600				
BA15KM#120050	BA15KMS#120050	KU2	KV2	KZ2*	+ZRF004	+ZRF007**		50,0	39,4	657	354	435	234	600				
BA15KM#120060	BA15KMS#120060	KU3	KV3	KZ3*	+ZRF004	+ZRF007**		60,0	49,4	800	435	522	284	900				
BA15KM#150040	BA15KMS#150040	KU2	KV2	KZ2*	+ZRF004	+ZRF007**	153,0	40,0	29,4	712	380	454	242	600				
BA15KM#150050	BA15KMS#150050	KU3	KV3	KZ3*	+ZRF004	+ZRF007**		50,0	39,4	893	480	567	305	900				
BA15KM#150060	BA15KMS#150060	KU3	KV3	KZ3*	+ZRF004	+ZRF007**		60,0	49,4	1077	582	681	368	900				
BA15KM#190040	BA15KMS#190040	KU3	KV3	KZ3*	+ZRF004	+ZRF007**	193,0	40,0	29,4	859	457	570	304	900				
BA15KM#190050	BA15KMS#190050	KU3	KV3	KZ3*	+ZRF004	+ZRF007**		50,0	39,4	1074	579	712	384	900				
BA15KM#190060	BA15KMS#190060	KU4	KV4	KZ4*	+ZRF004	+ZRF007**		60,0	49,4	1294	707	855	467	1200				




* Supplied with price surcharge of € 10.00 - ** The chronothermostat kit comes with an extra charge of € 80.00

The wireless MIXED version consists of two articles, eg. : BA15KM#070040 KU1 (MIXED Towel warmer with white edge cap) + ZRF004 (Kit Roomthermostat) and the total price is shown in the table. If the customer chooses ZRF007 ** (Chronothermostat kit) at the price indicated in the table must be added the extra price of € 78.00

REMOTE VALVE ASSEMBLY

code	Description	Price
 GVR#	Valve and Lockshield assembly for recessed remote connection, CHROME finish	€
GVRC#	Valve and Lockshield assembly for recessed remote connection, COLOUR finish	€

STANDARD VALVES (for Valves and Lockshields, valves that can be fitted with thermostat, Thermostatic valves, or Single pipe, Twin pipe, Stainless steel and thermostatic heads see pages 271, 272, 273, 274 und 275 of the Price List)

code / Description	Price
 Z1TLNR#ANR129010 Paired Valve and Lockshield copper Angle 1/2" WHITE	€
 Z1RAC#R12CRO 2 copper unions diam. 12 mm	CHROME €
 ZRCF# Kit with pipe collars for towel warmers	WHITE €