

ORDER EXAMPLE

To correctly order this model follow the example specified below:


PRODUCT	SM15K#120050 OB1 ST 9010
SM15K#120050	Article code specified in the price table opposite
OB1	Connector code found in the table here below
ST	Standard Support code found in the table here below
9010	Colour code found in the TUBES COLOUR CHART

ACCESSORIES	
Z1TLNR#AN R12 9010	Valve and Lockshield - Copper angle 1/2" for copper pipes or multi-layer pipes - White RAL 9010
Z1RAC#R12CRO	12mm diam. copper pipe unions for Valve+Lockshield – chrome finish (2)


For other types of Valves see the table below or those on pages 271 - 272 - 273 - 274 - 275.

HYDRAULIC VERSION


Standard WALL type support (ST code)



Standard connectors
Will be supplied if not otherwise specified when placing the order



Rear connector Supplied on request WITH an additional price charge of € 62,00



CONNECTORS
The towel warmers are supplied with “OB1” connectors.
If different connectors are required, strictly indicate this in the order. **IMPORTANT:** the connectors of the radiators ordered and the radiators connected to the same system should all have the same configuration otherwise operating problems could occur.

SUPPORTS
The towel warmers are supplied with standard supports (code ST) that include wall fixing shelves, pressure anchors and manual Vent Valve.
This model **CANNOT** be supplied with bracket supports.



ADDITIONAL CHARGES FOR COLOURS AND FINISHES (see the official Tubes Colour Chart)

Colours*
- RAL not included in the colour chart
+ 30%




Plated finishes**:		
- Black Nickel	cat. G1	+10%
- Polished Tin	cat. G1	+10%
- 14kt gold	cat. G5	+50%
- 24kt gold	cat. G6	+60%


* on the price of Standard White category C0
** on the price of Chrome category G0

REMOTE VALVE ASSEMBLY

code	Description	Price
 GVR#	Valve and Lockshield assembly for recessed remote connection, CHROME finish	€
 GVRC#	Valve and Lockshield assembly for recessed remote connection, COLOUR finish	€

STANDARD VALVES (for Valves and Lockshields, valves that can be fitted with thermostat, Thermostatic valves, or Single pipe, Twin pipe, Stainless steel and thermostatic heads see pages 271, 272, 273, 274 und 275 of the Price List)

code / Description	Price
 Z1TLNR#ANR129010 Paired Valve and Lockshield copper Angle 1/2" WHITE	€
 Z1RAC#R12CRO 2 copper unions diam. 12 mm	CHROME €
 ZRCF# Kit with pipe collars for towel warmers	WHITE €



HYDRAULIC VERSION

Model	H	L	Interaxis (Pipe centre)	Water	Heat Output in Watts				Price RAL 9010 CategoryC0 (€)	Price Category C1/C2 (€)	Price Category C3 (€)	Price Chrome plated G0 (€)
					Coloured version		Chrome plated version					
					ΔT 50°C	ΔT 30°C	ΔT 50°C	ΔT 30°C				
	(cm)	(cm)	(cm)	content (lt)								
SM15K#080040	77,9	40,0	36,6	0,99	173	92	138	74				
SM15K#080050	77,9	50,0	46,6	1,06	217	116	172	92				
SM15K#080060	77,9	60,0	56,6	1,27	260	139	206	110				
SM15K#120040	122,9	40,0	36,6	1,53	267	143	214	111				
SM15K#120050	122,9	50,0	46,6	1,63	335	181	266	139				
SM15K#120060	122,9	60,0	56,6	1,96	402	217	319	167				
SM15K#150040	153,0	40,0	36,6	1,89	330	176	264	138				
SM15K#150050	153,0	50,0	46,6	2,02	414	222	329	174				
SM15K#150060	153,0	60,0	56,6	2,42	497	266	395	209				
SM15K#175040	175,4	40,0	36,6	2,16	377	201	302	158				
SM15K#175050	175,4	50,0	46,6	2,30	473	255	376	197				
SM15K#175060	175,4	60,0	56,6	2,76	568	306	451	236				

In the Chrome (Plated) Version, code SM15K becomes SM15KG

ORDER EXAMPLE

To correctly order this model follow the example specified below:

PRODUCT

SM15KE#080050

U5

ST

9010


[SM15KE#080050 U5 ST 9010](#)

Article code found in the prices table on the side


Resistance code listed in the next list

Standard Support code, only one support code available for Electric and Mixed version


Colour code found in the TUBES COLOUR CHART




ELECTRIC VERSION WITH EDGE CAP




ELECTRIC VERSION WITH THERMOSTAT



ELECTRIC VERSION WITH WIRELESS THERMOSTAT




ELECTRIC VERSION WITH EDGE CAP



Model	Edge Cap Colour Code			H (cm)	L (cm)	Electric resistor Watts	Price RAL 9010 CategoryC0 (€)	Price Category C1/C2 (€)	Price Category C3 (€)	Price Chrome plated G0 (€)
	White	Grey	Chrome*							
SM15KE#080040	U5	V5	Z5*	77,9	40,0	200				
SM15KE#080050	U5	V5	Z5*		50,0	200				
SM15KE#080060	U1	V1	Z1*		60,0	300				
SM15KE#120040	U1	V1	Z1*	122,9	40,0	300				
SM15KE#120050	U1	V1	Z1*		50,0	300				
SM15KE#120060	U1	V1	Z1*		60,0	400				
SM15KE#150040	U6	V6	Z6*	153,0	40,0	400				
SM15KE#150050	U6	V6	Z6*		50,0	400				
SM15KE#150060	U6	V6	Z6*		60,0	400				
SM15KE#175040	U6	V6	Z6*	175,4	40,0	400				
SM15KE#175050	U2	V2	Z2*		50,0	600				
SM15KE#175060	U2	V2	Z2*		60,0	600				


* Supplied with price surcharge of € 10.00

ELECTRIC VERSION WITH THERMOSTAT



Model	Code Thermostat				H (cm)	L (cm)	Electric resistor Watts	Price RAL 9010 CategoryC0 (€)	Price Category C1/C2 (€)	Price Category C3 (€)	Price Chrome plated G0 (€)
	ROOM THERMOSTAT		RADIATOR								
	White	Chrome	White	Chrome							
SM15KE#080040_1	E5	E7	N0	N9	77,9	40,0	200				
SM15KE#080050_1	E5	E7	N0	N9		50,0	200				
SM15KE#080060_1	A5	A7	N1	N5		60,0	300				
SM15KE#120040_1	A5	A7	N1	N5	122,9	40,0	300				
SM15KE#120050_1	A5	A7	N1	N5		50,0	300				
SM15KE#120060_1	A5	A7	N1	N5		60,0	400				
SM15KE#150040_1	E6	E8	NB	NA	153,0	40,0	400				
SM15KE#150050_1	E6	E8	NB	NA		50,0	400				
SM15KE#150060_1	E6	E8	NB	NA		60,0	400				
SM15KE#175040_1	E6	E8	NB	NA	175,4	40,0	400				
SM15KE#175050_1	B5	B7	N2	N6		50,0	600				
SM15KE#175060_1	B5	B7	N2	N6		60,0	600				

ELECTRIC VERSION WITH WIRELESS THERMOSTAT



Model	Edge Cap Colour Code			Wireless Thermostat Code		H (cm)	L (cm)	Electric resistor Watts	Price RAL 9010 CategoryC0 (€)	Price Category C1/C2 (€)	Price Category C3 (€)	Price Chrome plated G0 (€)
	White	Grey	Chrome*	Room Thermostat Kit	Chronothermostat Kit**							
SM15KE#080040_2	U5	V5	Z5*	+ZRF004	+ZRF007**	77,9	40,0	200				
SM15KE#080050_2	U5	V5	Z5*	+ZRF004	+ZRF007**		50,0	200				
SM15KE#080060_2	U1	V1	Z1*	+ZRF004	+ZRF007**		60,0	300				
SM15KE#120040_2	U1	V1	Z1*	+ZRF004	+ZRF007**	122,9	40,0	300				
SM15KE#120050_2	U1	V1	Z1*	+ZRF004	+ZRF007**		50,0	300				
SM15KE#120060_2	U1	V1	Z1*	+ZRF004	+ZRF007**		60,0	400				
SM15KE#150040_2	U6	V6	Z6*	+ZRF004	+ZRF007**	153,0	40,0	400				
SM15KE#150050_2	U6	V6	Z6*	+ZRF004	+ZRF007**		50,0	400				
SM15KE#150060_2	U6	V6	Z6*	+ZRF004	+ZRF007**		60,0	400				
SM15KE#175040_2	U6	V6	Z6*	+ZRF004	+ZRF007**	175,4	40,0	400				
SM15KE#175050_2	U2	V2	Z2*	+ZRF004	+ZRF007**		50,0	600				
SM15KE#175060_2	U2	V2	Z2*	+ZRF004	+ZRF007**		60,0	600				

* Supplied with price surcharge of € 10.00 - ** The chronothermostat kit comes with an extra charge of € 80.00

The wireless ELECTRIC version consists of two articles, eg SM15KE#070040 U1 (Electric Towel warmer with white edge cap) + ZRF004 (Kit Roomthermostat) and the total price is shown in the table. If the customer chooses ZRF007 ** (Chronothermostat kit) at the price indicated in the table must be added the extra price of € 78.00

ADDITIONAL CHARGES FOR COLOURS AND FINISHES (see the official Tubes Colour Chart)

For RAL colours not included in the colour chart and according to samples request feasibility and estimate

PLATED finishes: Nickel Satin finish same price as Glossy CHROME (cat. G1), 14kt GOLD finish (cat. G5)+50% and 24kt GOLD (cat. G6)+60% more than Chrome (Cat.G0).

SMART I5

Heated towel rail comprising horizontal 15x15 square-section fusion welded steel elements with 28 mm diameter manifolds

ORDER EXAMPLE


To correctly order this model follow the example specified below:

PRODUCT	SM15Ki5#120050 OI5 ST 9010
SM15Ki5#120050	Article code specified in the price table opposite
OI5	Connector code found in the table here below
ST	Standard Support code found in the table here below
9010	Colour code found in the TUBES COLOUR CHART

ACCESSORIES

Z1TLNR#AN R12 9010	Valve and Lockshield - Copper angle 1/2" for copper pipes or multi-layer pipes - White RAL 9010
Z1RAC#R12CRO	12mm diam. copper pipe unions for Valve+Lockshield – chrome finish (2)

For other types of Valves see the table below or those on pages 271 - 272 - 273 - 274 - 275.



Model	H (cm)	L (cm)	Interaxis (Pipe centre) (cm)	Water content (lt)	Heat Output in Watts				Price RAL 9010 CategoryC0 (€)	Price Category C1/C2 (€)	Price Category C3 (€)	Price Chrome plated G0 (€)
					Coloured version		Chrome plated version					
					ΔT 50°C	ΔT 30°C	ΔT 50°C	ΔT 30°C				
SM15KI5#080040	81,9	40,0	5	0,99	173	92	138	74				
SM15KI5#080050	81,9	50,0	5	1,06	217	116	172	92				
SM15KI5#080060	81,9	60,0	5	1,27	260	139	206	110				
SM15KI5#120040	126,9	40,0	5	1,53	267	143	214	111				
SM15KI5#120050	126,9	50,0	5	1,63	335	181	266	139				
SM15KI5#120060	126,9	60,0	5	1,96	402	217	319	167				
SM15KI5#150040	157,0	40,0	5	1,89	330	176	264	138				
SM15KI5#150050	157,0	50,0	5	2,02	414	222	329	174				
SM15KI5#150060	157,0	60,0	5	2,42	497	266	395	209				
SM15KI5#175040	179,4	40,0	5	2,16	377	201	302	158				
SM15KI5#175050	179,4	50,0	5	2,30	473	255	376	197				
SM15KI5#175060	179,4	60,0	5	2,76	568	306	451	236				

In the Chrome (Plated) Version, code SM15Ki5 becomes SM15Ki5G

CONNECTORS and SUPPORTS

The heated towel rails are supplied as standard with "OI5" connectors and standard supports "OST" that include wall fixing shelves, pressure anchors and a manual Vent Valve.

IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

ADDITIONAL CHARGES FOR COLOURS AND FINISHES

(see the official Tubes Colour Chart)

Colours*

- RAL not included in the colour chart + 30%






Plated finishes**:

- Black Nickel	cat. G1	+10%
- Polished Tin	cat. G1	+10%
- 14kt gold	cat. G5	+50%
- 24kt gold	cat. G6	+60%

* on the price of Standard White category C0

** on the price of Chrome category G0

STANDARD VALVES (for Valves and Lockshields, valves that can be fitted with thermostat, Thermostatic valves, or Single pipe, Twin pipe, Stainless steel and thermostatic heads see pages 271, 272, 273, 274 und 275 of the Price List)

code / Description	Price	code / Description	Price
 Z1TLNR#ANR129010 Paired Valve and Lockshield copper Angle 1/2" WHITE	€	 Z1TL5NR#ANR12SX... Valves with 5 cm Interaxis (Pipe centre) 5 cm - Left 9010 CHROME	€
 Z1RAC#R12CRO 2 copper unions diam. 12 mm CHROME	€	 Z1TL5NR#ANR12DX... Valves with 5 cm Interaxis (Pipe centre) 5 cm - Right 9010 CHROME	€
 ZRCF# Kit with pipe collars for towel warmers WHITE	€		